




FINIXA[®] 
paint processing products

FINIXA[®] 
paint processing products

EN
2017



8 punch one

BRIDGESTONE
WORLD SOLAR
CHALLENGE

punch
powertrain
Gear up for the future

FINIXA
pork processing products

EY
Building a better
working world

ENGIE

Cardolite

ALD
Automotive

DHL
Logistics & Performance

YANHOOL

MOLS

BRIDGESTONE
WORLD SOLAR
CHALLENGE


FAB
Allair

More than ever before, we should preserve our planet.

Discover in this new catalogue our existing
but also completely new developments
and enjoy changing our planet's health
repairing cars in a proper way!

Our resources are limited, and our consumption is growing. Recycling waste and creating new products from this, reducing pollution by using better but less product for the same application, changing environmentally harmful products i.e. solvent based by water based alternatives, will be not only a challenge but a reality.

With **Finixa**, Chemicar Europe picked up the glove of **ecology**: on a daily basis we improve our performance of our products in order to consume less, finding solutions in changing traditional solvent based products into high performance water based alternatives.



01 SPRAYBOOTH

- 8** FPS-system
- 12** Mixing cups & accessories
- 14** Problem solvers for non-paint refinishing.
- 15** Paint strainers
- 16** Pressure tank
- 18** Spray gun and accessories

03 PANEL REPAIR

- 50** sanding
- 63** Fillers/putties
- 68** Seam sealer & glues
- 70** Plastic repair

02 PREPARATION

- 22** Degreaser
- 24** Pressure sprayer & coding caps
- 25** Polishing, degreasing and cleaning cloths
- 26** Tack rags
- 28** Paint absorbing plastics and accessories
- 32** Tapes
- 38** Problem solvers for non-paint refinishing
- 40** Technical spray cans

04 ASSEMBLY DISASSEMBLY

- 72** Fluo markers, films & pads
- 73** Adhesive eraser, logo tape & trim removal set.

05 CLEANING PROTECTION

- 80** Car cleaning products
- 82** Polishing
- 86** Leather repair
- 92** Spray overalls
- 96** Gloves & Safety boots
- 100** Spray masks, dust masks & hand cleaners
- 102** Spraybooth products

06 EQUIPMENT

- 110** Spraybooth filters
- 112** Panel stands & Trestle
- 114** Gun cleaner
- 116** UV
- 118** IR
- 124** Spotwelders

07 PROMOTIONAL ITEMS

- 130** Micro-Fibre cloth, stickers, cap, rugbyball, RC car, beer, shirt, t-shirt, umbrella, sticky screen cleaner, ...






01 SPRAYBOOTH

- 8** FPS-system
- 12** Mixing cups & accessories
- 14** Problem solvers for non-paint refinishing.
- 15** Paint strainers
- 16** Pressure tank
- 18** Spray gun and accessories

FPS Paint System

- The lid fits mixing cup 650ml, 400ml and 900ml
- The system can be fitted directly onto the spray gun by means of a quick connect coupling.
- No paint loss/reminders: the cup can be completely sprayed empty.
- Substantially saves money and time to clean spray guns.
- Fit for both solvent and water based paints.
- Available in 125µm (green) and 190µm (white).
- Supplied with strainer and valve installed.
- Lids and cups sold separately substantially saving paint system components, nothing is wasted !
- Easy to fill up.
- Individually packed in plastic foil and per 50 in a handy dispenser box.
- Possible mixing ratios:
2:1/3:1/4:1/5:1/6:1/7:1/8:1/9:1/10:1/12:1
- Several adapters for different spray guns are available.

Code	Description (sales unit)	Box	PAL
FPS 0400125	Finixa paint system lids 400ml - 125µm - 50pcs green	8	80
FPS 0400190	Finixa paint system lids 400ml - 190µm - 50pcs white	8	80
FPS 0650125	Finixa paint system lids 650ml/900ml - 125µm - 50pcs green	8	80
FPS 0650190	Finixa paint system lids 650ml/900ml - 190µm - 50pcs white	8	80
FPS 01	FPS adaptor M16 internal thread	X	X
FPS 02	FPS adaptor M16 external thread	X	X
FPS 03	FPS adapter 3/8 internal thread	X	X
FPS 04	FPS adapter 3/8 external thread	X	X
FPS 05	FPS adapter 1/4 external thread	X	X
FPS 06	FPS quick adaptor 1/4	X	X
FPS 07	FPS adaptor M12 external thread	X	X
FPS 08	FPS quick adaptor 1/4	X	X
FPS 09	FPS 18 mm Female, 1.5 mm Thread	X	X



Patented design

Four different lids that fit any of our cups

Sprays paint till the last drop thanks to the unique umbrella valve





Watch movie

BRAND	MODEL	ADAPTOR
AccuSpray	PerforMax 05-100 Primer	FPS 02
ADIR	Gravity Series	FPS 01
Advantage	90115	FPS 01
Aerometal	2016	FPS 05
	2015 ECO&T	FPS 05
	2100 ECO&T	FPS 05
	Super Fura 34	FPS 05
	Victoria 92	FPS 05
AES	150	FPS 01
AirGunsa	AZ3 HTE 2	FPS 08
	AZ3 THE/AZ3 HV	FPS 05
AirVerter	GG-100	FPS 01
AmPro	AR6025	FPS 01
ANI	F1-s HPS	FPS 03
Astro	M-Star/Quantum Ultra Light/Star QUL	FPS 01
Asturo	ECO/S and ECO/SX	FPS 01
	Gravity Series	FPS 05
ATD	6900 Series and Gravity Series	FPS 01
ATD Leonardo	6865/6872/6913/6914/6915/6918	FPS 02
	6910 Mini	FPS 05
Binks	630/95G/M1-G/MGI 1.8 Primer/SV-100 Gravity	FPS 03
	Cub SLG Mini Gravity	FPS 04
C.A. Technologies	Jaguar 300C	FPS 01
	Jaguar 100C/J100H/SLP/300C/Techline T3	FPS 01
Campbell Hausfeld	DH-6500/7800/7900	FPS 01
CAPSpray	3100 Gravity Series	FPS 01
CarQuest	ProValue 2304-PV/2304-PV	FPS 01
Central	Pneumatic Gravity Series	FPS 01
Cornwell	PSG-1400	FPS 01
Craftsman	9-15531	FPS 01
Dart Products	AB17G/h827a/881a	FPS 01
Defynik	Gravity Series	FPS 07
DeVilbiss	Compact ITW/Finishline/GFHV510/GFP/GFV/Gpi	FPS 04
	GTI	FPS 03
	GTI/GTI PRO	FPS 04
	J.G.A/J.G.V./M.B.C./M.G.M.	FPS 03
	MGPI + C62/PRI/SR I mini	FPS 04
	Compact 506	FPS 03
	Compact 506 gravity	FPS 03
	Compact 510 Trans Tech Gravity	FPS 03
	Compact Mini HVLP and Trans Tech	FPS 04
	Cvi 620G/Cvi 620GW/dRd/EXL 620G	FPS 03
	Finishline FLG4 gravity models	FPS 03
	Finishline FLG-6 Series	FPS 03
	GFG-5 and 6 series	FPS 03
	GFHV-510/JGA-535G/JGA-635G	FPS 03
	PRi 601G Primer	FPS 03
	Sri Mini/Pro Mini/SRiW Mini	FPS 04
	TEKNA/TEKNA Copper/Prolite/QuickClean	FPS 03
Dura-Block	007 Extreme Performance/AF900K	FPS 01
DUX	Gravity Series	FPS 07
Ecco	652-S	FPS 03
Eminent	E13	FPS 05
Evercraft (NAPA)	BK7703758	FPS 01
FINIXA	SPG 500/SPG 501/SPG 518/SPG 525	FPS 01
Goni	321	FPS 01
Graco	Delta GF	FPS 03
	LT200/LT300	FPS 01



BRAND	MODEL	ADAPTOR
Grip	H827W	FPS 01
Grizzly	H7669	FPS 01
Husky	HDS-780/HDS-790/HDS-890 Pro	FPS 01
Ingersol Rand	210G/270G	FPS 01
Iwata	AZ3 HTE 2	FPS 08
	LPA 94/LPH 400	FPS 01
	LPA-94/VX929/VXL949 Primer	FPS 01
	LPH-300	FPS 05
	LPH400 LV/LVB/LVX/440 PRIMER	FPS 01
	Supernova LS-400/Supernova WS-400	FPS 08
	VXL 949	FPS 01
	W300/W300LV	FPS 05
	W400 LVC 90	FPS 03
	W400/400LV/400WB/WR-400	FPS 01
Jonnesway	JA-6111	FPS 01
Kobalt (Lowe's)	KC-566CG/KC-577HG/AIR86 and 88	FPS 01
Krautzberger	Mignon 3	FPS 07
Kremlin	Hti-G/M21-G/M22	FPS 05
Mac	Econocoat/SG1250/SG1300	FPS 01
	SG610K	FPS 03
Mark I	AF7003	FPS 01
Mattco	Gravity Series	FPS 01
	MTPGHE13/MTPGHE15	FPS 02
Max	Air W98	FPS 01
MSB	Gravity Series	FPS 01
M-Star	Gravity Series	FPS 01
NESCO	880	FPS 02
	840/868/870	FPS 01
Nikota	HVLP-G	FPS 01
OPTIMA	500	FPS 03
	400/500/601/800/900	FPS 03
Porter-Cable	PSH-1 and 3	FPS 01
PRO-TEK	2600/4000GH/764x	FPS 01
ProValue (Carquest)	2304-PV and 2305-PV	FPS 01
Sagola	3300-G	FPS 07
	403G/4100G/433G/434G/444G/450G/mini extr	FPS 07
	4400 and 4500 Extreme	FPS 09
	MODEL 71 and 75	FPS 03
SATA	ALL QCC ALL QCC ALL QCC	FPS 06
	HVLP 3000	FPS 06
	JET B NR 95 HVLP	FPS 01
	JET RP	FPS 02
	JET90/S	FPS 02
	KLC B-HVLP	FPS 02
	KLC P	FPS 02
	KLCB-RP	FPS 02
	MC 93	FPS 07
	MCB	FPS 02
	NR 2000	FPS 06
	NR 2000/DIGITAL	FPS 02
	NR 92 HVLP	FPS 01
	RP 3000	FPS 06

BRAND	MODEL	ADAPTOR
SATA	RP DIGITAL	FPS 02
	KLC-B	FPS 02
	KLC-P	FPS 02
	KLC-RP	FPS 02
	KL-Primer	FPS 07
	LM 2000 B	FPS 02
	LM 2000 K	FPS 02
	LM-92	FPS 02
	MCB Primer	FPS 02
	MCB-90	FPS 02
	MCB-93	FPS 07
SATAjet	90/90-2 HVLP/90-2 RP	FPS 02
	B/NR-92/NR-95	FPS 01
	NR 2000 RP and HVLP	FPS 02
SEM	71001 Pro-Tex Truck Bed Liner Gun	FPS 03
Sharpe	Cobalt HVLP (Euro)	FPS 03
	FX-200 Conventional/FX-300 HVLP	FPS 01
Smart (Finishmaster)	Spray Gun Kit (Std)	FPS 01
Spitznagel	W2000A	FPS 01
Spray-It	522	FPS 01
Star III		FPS 01
Sunex	9002A/9004A	FPS 01
Titan Vaper	1.4mm Base/Clear/1.7mm Primer	FPS 01
TranStar	6613/6614/6617	FPS 01
Trem Pro	Gravity Series	FPS 01
U-Pol	Maximum	FPS 01
Walcom	Genesi	FPS 02
	other	FPS 07
Walther Pilot	Pilot IV/Pilot Maxi/Pilot Mini HD/Pilot Mini MD	FPS 05
	861-C/863/881H/904H/H881W	FPS 01
	878/827-C	FPS 02
Warwick	861-C/863/881H/904H/H881W	FPS 01
	878/827-C	FPS 02

SPG 60 Spray Case

- 2 x SPG 500 - spray gun LVLP CC 500 (black chrome), nozzle 1.3mm, universal application
- 1 x SPG 500 - spray gun LVLP CC 500 (black chrome), nozzle 1.8mm, universal application
- 1 x Standard cup for gun
- 3 x FPS 01 - FPS adaptor M16 internal thread
- 10 mixing cups 650ml
- 5 x paint system green lids - 125µm.
- 5 x paint system white lids - 190µm.
- 1.3, 1.5, 1.8, 2.0 and 2.5mm Nozzle set up also available separately

Code	Description (sales unit)	Box	PAL
SPG 60	Spray case	1	X

Experience the FPS system instantly with the FPS starter set and Spray case

FPS FPS starter set

- 50 x 650cc mixing cups
- 50 x FPS lids 125µm OR 190µm
- 10 x plastic mixing paddles (GAC 1000)

Code	Description (sales unit)	Box	PAL
FPS 065012500	Paint system starter set: 50 mixing cups 650ml + 50 FPS lids 125µm + 10 Mixing paddles plastic (GAC 1000)	1	45
FPS 065019000	Paint system starter set: 50 mixing cups 650ml + 50 FPS lids 190µm + 10 Mixing paddles plastic (GAC 1000)	1	45



SIP 1000/PIP 03 Siphon & Pipette

Remove excessive pigment in a mix or add 'more' accurately water to a mix with PIP 03 and SIP 1000

Code	Description (sales unit)	Box	PAL
PIP 03	Pipette - 3ml - 500p.	1	X
SIP 1000	Siphon - 1L - 6p.	1	16



MCD 50



MC(B)L Lids for Mixing Cups

Code	Description (sales unit)	Box	PAL
MCL 0400	Lids for mixing cups - 400ml - 10x50p.	1	60
MCL 0650	Lids for mixing cups - 650ml/900ml - 10x50p.	1	40
MCL 1300	Lids for mixing cups - 1300ml - 8x50p.	1	24
MCL 2240	Lids for mixing cups - 2240ml - 8x50p.	1	18
MCLS 0400	Lids for mixing cups - 400ml - 2x50p.	X	154
MCLS 0650	Lids for mixing cups - 650ml/900ml - 2x50p.	X	130
MCLS 1300	Lids for mixing cups - 1300ml - 2x50p.	X	60
MCLS 2240	Lids for mixing cups - 2240ml - 2x50p.	X	50
MCBL 0400	Lids for black cups - 400ml - 10x50p.	1	60
MCBL 0650	Lids for black cups - 650ml/900ml - 10x50p.	1	40
MCBL 1300	Lids for black cups - 1300ml - 8x50p.	1	24
MCBL 2240	Lids for black cups - 2240ml - 8x50p.	1	18
MCD 50	Dispenser for mixing cups and lids	1	50



MCB Black Cups

Code	Description (sales unit)	Box	PAL
MCB 0400	Black Cups - 400ml - 200p.	1	60
MCB 0650	Black Cups - 650ml - 200p.	1	40
MCB 1300	Black Cups - 1300ml - 200p.	1	24
MCB 2240	Black Cups - 2240ml - 200p.	1	18



MCU Unprinted Mixing Cups

Code	Description (sales unit)	Box	PAL
MCU 0400	Unprinted Cups - 400ml - 200p.	1	60
MCU 0650	Unprinted Cups - 650ml - 200p.	1	40
MCU 1300	Unprinted Cups - 1300ml - 200p.	1	24
MCU 2240	Unprinted Cups - 2240ml - 200p.	1	18



MCP

NEW
MCP 0900

MCP Printed Mixing cups

- Clearly printed content.
- 10 different mixing ratios.
- Available in 6 volumes: 400cc, 650cc, 900cc 1300cc, 2240cc and 5000cc.
- Base feet protecting against cold transfer during mixing.
- Stack supports for easy separation.
- Winter proof plastic.
- Dispenser in stainless steel available separately.
- Fitted lids that close even better.
- Also available as a storage cup in untransparent black plastic, ideal for UV Paints.

NEW

Code	Description (sales unit)	Box	PAL
MCP 0400	Printed Mixing Cups - 400ml - 200p.	1	60
MCP 0650	Printed Mixing Cups - 650ml - 200p.	1	40
MCP 1300	Printed Mixing Cups - 1300ml - 200p.	1	24
MCP 2240	Printed Mixing Cups - 2240ml - 200p.	1	18
MCP 5000	Printed Mixing Cups - 5000ml - 40p.	1	18
MCP 0900	Printed Mixing Cups - 900ml - 200p.	1	20
MCL 5000	Printed Mixing Cups - 5000ml - 100p.	1	54

MPP/GAC Mixing Paddles

- This "twisted" perforated form makes it possible to mix your paint faster than conventional methods.
- Available in 2 versions, a standard version and a larger version with solid hand grip.
- Dimensions: standard 20cm, extra large 30cm.
- MPP comes in grey color now allowing quick color check during mixing

Code	Description (sales unit)	Box	PAL
MPP 0250	Mixing Paddles Plastic 20 cm - 250p.	6	96
MPP 02501	Mixing Paddles Plastic 20cm - 8 x 250p.	X	16
GAC 0250	Mixing paddles plastic 23cm - 250p.	1	44
GAC 1000	Mixing paddles plastic 23cm - 1.000p.	1	50

MPP

GAC





MAK 00 Cleaning kit for sprayguns

- Complete set of tools for cleaning and maintaining spray guns.
- The set consists of 8 brushes for cleaning the interior, 3 small brushes with holder and one large brush for the exterior, 6 needles with holder for cleaning the nozzle and a bottle of lubricant to maintain the moving parts.

Code	Description (sales unit)	Box	PAL
MAK 00	Cleaning kit for sprayguns	20	X

TUB 60 Touch-up bottles 50ml

- Plastic bottles with a lid with integrated brush, to touch up car paint.
- Supplied with a plastic mixing bullet which makes this bottle suitable for water based paints and solvent based paints.
- Semi-transparent.

Code	Description (sales unit)	Box	PAL
TUB 60	Touch-up bottles - 50 ml - 60p.	10	160

TUB 61 Touch-up bottles 20ml

- Plastic bottles with a lid with integrated brush, to touch up car paint.
- Supplied with a plastic mixing bullet which makes this bottle suitable for water based paints and solvent based paints.
- Completely transparent.

Code	Description (sales unit)	Box	PAL
TUB 61	Touch-up bottles - 20 ml - 60p.	10	120

GAD



GAD Black plastic (PE) storage cups

- Black cups do not let light through and are therefore ideal for storing waterbased paints (UV-resistant).
- Each cup is supplied with an airtight sealing lid and suitable for transportation of ready mixed colours.
- UN approved; suitable and tested for road transport of water based paints.
- Fit to store water based paints for months.

Code	Description (sales unit)	Box	PAL
GAD 00500	Black storage cup with lid 500ml - 312p.	1	16
GAD 01000	Black storage cup with lid 1l - 140p.	1	16
GAD 03000	Black storage cup with lid 3l - 45p.	1	16
GAD 05000	Black storage cup with lid 5l - 30p.	1	16
GAD 10000	Black storage cup with lid 10l - 12p.	1	16



NVZ 0190 Paint Strainer Fine 190 µm

Code	Description (sales unit)	Box	PAL
NVZ 0190	Nylon paint strainers 190µm - 4 x 250p. in a box	1	30
NVZ 0190100	Nylon paint strainers 190µm - 100p. in a dispenserbox	1	168
NVZ 0190250	Nylon paint strainers 190µm - 250p. in a dispenserbox	1	112



NVZ 0125 Paint Strainer Extra Fine 125 µm

Code	Description (sales unit)	Box	PAL
NVZ 0125	Nylon paint strainers 125µm - 4 x 250p. in a box	1	30
NVZ 0125100	Nylon paint strainers 125µm - 100p. in a dispenserbox	1	168
NVZ 0125250	Nylon paint strainers 125µm - 250p. in a dispenserbox	1	112



NVZ 0280 Paint strainer Rough 280 µm

Code	Description (sales unit)	Box	PAL
NVZ 0280	Nylon paint strainers 280µm - 4 x 250p. in a box	1	30

NVZ Paint Strainer

1. Paint strainers coarse (280µm) color code **GREEN**.
2. Paint strainers fine (190µm) color code **RED**.
3. Paint strainers extra fine (125µm) color code **BLUE**.
 - Each available in 3 different sizes (packaging) 4x250p., 250p. or 100p.
 - Also available in 226µm en 400µm.
 - Paint strainers are suitable for use in combination with solvent based and water based paints.
 - Perfect nylon grid.
 - Accurate filtering.
 - No equal on the market !

NVZ Paint Strainer 226-400 µm

Code	Description (sales unit)	Box	PAL
NVZ 0226	Nylon paint strainers 226µm. 4 x 250 in a box	1	30
NVZ 0400	Nylon paint strainers 400µm. 4 x 25 in a box	1	30

BBF 10 Strainers for gravity fed spray guns

Plastic paint strainer designed for placement inside the suction channel of the gravity cup of a spraygun.

Code	Description (sales unit)	Box	PAL
BBF 10	Strainers for gravity fed spray guns 275µm - 10p.	100	X



BBF 10

SPG 80 10l pressure tank

- The ultimate solution for spraying Cabin Protect: a combination of an aluminum spray gun, extended 10m double air/paint hose and a galvanized powder coated aluminum tank of 10 L allows you to apply in a very comfortable way any primer, basecoat or topcoat, water based or solvent based; ideal to apply the cabin protect in a fast way with an ultimate result.
- Spray gun kit for SPG 81 available: nozzle, needle and aircap

**SPG 80 includes:
spray gun 1.8mm
nozzle and 10m
hose.**

Code	Description (sales unit)	Box	PAL
SPG 80	10l pressure tank incl. 10m hose + spray gun 1.80mm	1	20
SPG 81	Spray gun nozzle 1.8mm for SPG 80	1	X
SPG 82	Set tubes 10m for SPG 80	1	X
SPG 81K1.2	spray gun kit 1.2mm	1	X
SPG 81K1.5	Spray gun kit 1.5mm	1	X
SPG 81K1.8	Spray gun kit 1.8mm	1	X
SPG 81K2.0	Spray gun kit 2.0mm	1	X

**Protect your
investment with cabin
protecting line &
pressure tank**

OR

**Cover large surfaces
of clear coat and
top coat**





Watch movie

SPG 100/500 Spray guns

- Ergonomic grip.
- Minimal overspray, maximum transfer efficiency.
- LVLV technology: over 74% effective transfer efficiency.
- Lightweight anodized aluminium body, available separately: stainless steel needle set.
- Can be used for waterbased and solvent based paints.
- Required airfeed pressure: between 1.8 and 2.2 bar.

Code	Description (sales unit)	Box	PAL
SPG 500	Spray gun CC 500 (black chrome) without nozzle	10	120
SPG 500C	Cup for gravity spray gun 500ml	1	X
SPG 500K1.3	Spray gun kit 1.3 mm CC500 nozzle, needle, aircap set	1	X
SPG 500K1.5	Spray gun kit 1.5mm CC500 nozzle, needle, aircap set	1	X
SPG 500K1.8	Spray gun kit 1.8 mm CC500 nozzle, needle, aircap set	1	X
SPG 500K2.0	Spray gun kit 2.0 mm CC500 nozzle, needle, aircap set	1	X
SPG 500K2.5	Spray gun kit 2.5 mm CC500 nozzle, needle, aircap set	1	X
SPG 100	Spray gun spot repair CC100 (black chrome) nozzle 0,8 mm	20	X
SPG 100C	Cup for gravity spray gun 100ml	1	X
SPG 100K0.8	Spray gun kit 0.8 mm CC100 nozzle, needle, aircap set	1	X
SPG 100K1.0	Spray gun kit 1.0 mm CC100 nozzle, needle, aircap set	1	X
SPG 100K1.1	Spray gun kit 1.1 mm CC100 nozzle, needle, aircap sett	1	X
SPG 100K1.2	Spray gun kit 1.2 mm CC100 nozzle, needle, aircap set	1	X
EQU 85	Spray gun support with magnet backing	5	X

RJE 20



RJE 21

RJE Air guns

Rubber Jet is an air gun for use with the airline coupling. The rubber tip makes it possible to direct the airflow.

Code	Description (sales unit)	Box	PAL
RJE 20	Rubber Jet	100	X
RJE 21	Rubber Jet with Orion connector	100	X



WJE Windjet

- Windjet air nozzles deliver a high performance flat jet of compressed air.
- The nozzle (made of ABS plastic) is designed for cooling, drying and cleaning by hand or in a fixed setup.
- Ideal for drying water based paint jobs on spot repairs.

Code	Description (sales unit)	Box	PAL
WJE 05	Windjet	X	X
EQU 024	Little tap for WJE 05	10	X

EQU 024



WJE



EQU 85

SSP Spray Sample Plates & accessories

- Metal plates, white or grey with black coverage line over the entire length.
- Dimensions: 105mm x 150mm.
- Filing system for 250 plates with or without envelope. System carries one plastic filing box with 6 adjustable dividers, 32 blank labels and a marker to make notes on the back of the plates. (SSP 40)
- Magnet holder (fork) and magnet stand for hands-free handling of the spray samples. (SSP 50)
- Drying oven for spray samples combines infrared drying with air drying and simulates warm air drying inside a spraybooth this way, for an optimum result. Drying oven is suitable for drying water based paints as well as solvent based paints. Drying oven has an air valve, temperature gauge and timer. Power of the infrared lamp is 300W, electrical specifications are 220V, 1.5A, 50Hz and pressure intake has to be 3 bar. (ILO 10)

SSP 00-01-02

SSP 42

Code	Description (sales unit)	Box	PAL
SSP 00	Spray sample plates - White - 5 x 100p.	1	108
SSP 01	Spray sample plates - Grey - 5 x 100p.	1	108
SSP 02	Spray sample plates - Deep grey - 5 x 100p.	1	108
SSP 42	Envelopes for spray sample plates - 250p.	1	84
SSP 40	Filing system for spray sample plates	1	X
SSP 50	Holder and stand for spray sample plates	1	X
ILO 10	Drying oven for spray sample plates	1	60
ILO 48	Replacement lamp 300W infrared for drying oven	1	X

DDD 00 3D spray sample

- For test spraying 'special effects' colours.
- Black plastic with hang up slot.
- Dimensions (l x w x h): 230mm x 130mm x 45mm.

Code	Description (sales unit)	Box	PAL
DDD 00	3d spray sample plastic black 35p.	1	30





SSP 50

ILO 10

SSP 40







02 PREPARATION

22 Degreaser

24 Pressure sprayer &
coding caps

25 Polishing, degreasing and
cleaning cloths

26 Tack rags

28 Paint absorbing plastics and
accessories

32 Tapes

38 Problem solvers for non-paint
refinishing

40 Technical spray cans

DGR Water based degreaser

DGR 05/25 is a solvent free, waterbased cleaner. Can be used to remove dirt, dust, swarf and to degrease all kinds of surfaces such as old paint layers, transport primer, other primers, metal (steel, but also aluminum and galvanized pieces) and plastic. To remove rests of tar or glue we recommend to use a solvent-based degreaser, or use DGR in combination with SBR, but for all other pollution (fly, dirt, sanding dust, fat, finger prints, swarf, ...) this waterbased cleaner offers a lot of advantages compared with the solventbased versions:

01 Eliminates salt and soap rests

By using 2 cloths the water based degreaser removes any trace of dirt from the surface and leaves no traces.

02 Can be used without mask or gloves

Next to being nature friendly, the water based degreaser can be used without any protective gear.

03 Antistatic action on the surface

In comparison with solvent based degreasers the water based degreaser completely nullifies any static action on the surface.

04 No Affects with rubber or plastic

The water based degreaser does not affect rubber or plastic, while solvent based degreasers almost always cause damage to the surface.



Finixa DGR is a solvent free, water based product that conforms to VOC is therefore nature friendly and biodegradable.

SOF 25 Degreasing box

A handy tool in degreasing, the well known SOF 19 now also available in a handy dispenser bucket which you can add 3l of DGR and always have your wipe ready for use!

Code	Description (sales unit)	Box	PAL
DGR 05	Waterbased Degreaser 5l	1	96
DGR 25	Waterbased Degreaser 25l	1	28
DGR 200	Waterbased Degreaser 200l	1	2
BID 00	Tap for barrels 20/25/30l	X	X
SOF 25	Degreasing cloths - white - 280mm x 300mm 100pcs/bucket	6	216
SOF 251	SOF 25 Refill - 6 rolls	1	99



DGR 05

SOF 25



Watch movie



NEW
LSP 50

NEW

LSP 50 Coding caps

Tired of searching for the correct and/or misplaced pressure sprayer? Use the set of 5 coloured magnetic holders and coding caps to organise your workshop! The caps are placed over the sprayers nozzle so there is never a risk of contamination while refilling. The holders can be fixed to metal using the strong magnet or fixed to any surface using 2 screws in the foreseen openings.

LSP 20 Pressure sprayer

- Pressure sprayer for spraying all kinds of liquids such as degreasers and cleaners.
- Solvent resistant due to viton parts.
- Specific resistance list available online.

Code	Description (sales unit)	Box	PAL
LSP 20	Pressure sprayer premium - 1l	60	360
NEW LSP 50	Coding caps + holders - 5 p.	1	X





SOF 11 Polishing cloths

- The cloths are very soft, voluminous, plush free and free of silicone.
- Can also be used for cockpit cleaning.
- Available perforated on a roll or in a dispenser box of 400 pieces.

SOF 50-52 Cleaning cloths

- Universal cleaning cloth with a large absorption capacity.
- Comfortable handling due to the fact that these cloths are voluminous and soft.
- Suitable for all kinds of applications such as degreasing and cleaning with solvent based products or oil.

SOF 90-91 Paper roll dispenser

- Dispenser powder coated in blue.
- Tearing element helps to block the roll in the right position and tear off one or more cloths.
- For rolls with core of min. Ø5cm to max. Ø7cm and length min. 30cm to max. 37cm.
- Available with bin bag fastener (SOF 92)


SOF 19-20-21 Degreasing cloths

- The cloths have a large absorption capacity to hold as much degreaser as possible.
- Suitable for water based and solvent based degreasers.
- Plush free, re-usable and free of silicone.
- Available in a dispenser box, per 200 pieces (SOF 20)
- Available perforated on roll of 500 pieces (SOF 21)
- Now also available in white! (SOF 19)

SOF 60-62 Cleaning paper

Cleaning paper white 2 layers and cleaning paper blue 3 layers for all kinds of maintenance.

Code	Description (sales unit)	Box	PAL
SOF 11	Polishing cloths 380mm x 400mm - dispenser box - 400p.	1	48
SOF 19	Degreasing cloths - white 330mm x 420mm 260p.	1	90
SOF 20	Degreasing cloths 330mm x 420mm - 200p.	1	90
SOF 21	Degreasing cloths 300mm x 380mm - 500p. on a roll	1	60
SOF 50	Cleaning cloths 370mm x 400mm - dispenser box - 225p.	1	60
SOF 52	Ceaning cloths 380mm X 320mm - 500p. on a roll	1	40
SOF 60	3 layer cleaning paper - blue 380mm x 370mm - 1.000p. /roll	1	40
SOF 62	2 layer cleaning paper - white 365mm x 240mm - 952p. /roll	1	96



TAK 00-01

Tack rags 'standard'
Tack rags 'standard' H²O

- Unique impregnation: never dries out - silicone free.
- Attention: before use unfold completely and then make a ball; use this ball to rub the surface gently, by which the rag will wipe away all dust.
- Attention: do not put pressure on the rag during use, as you might only move the dust in stead of wiping it away.

Extra advantage TAK 01:

- Impregnated with a waterbased product: works antistatic, unlike other tack rags.
- Never leaves traces of glue that could possibly cause a reaction with any paint.

TAK 10-11

Tack rags 'CTI'
Tack rags 'CTI' H²O

- Tack rag with a wavy surface structure: once removed from the packaging, instantly ready for use.
- Ideal for large surfaces.
- Attention: do not put pressure on the rag during use, as you might only move the dust in stead of wiping it away.

Extra advantage TAK 11:

- Impregnated with a waterbased product: works antistatic, unlike other tack rags.
- Never leaves traces of glue that could possibly cause a reaction with any paint



Code	Description (sales unit)	Box	PAL
TAK 00	Tack rags standard 80cm x 45cm - 50p.	1	120
TAK 01	Tack rags standard H ₂ O 80cm x 45cm - 50p.	1	120

Code	Description (sales unit)	Box	PAL
TAK 10	Tack rags CTI 80cm x 80cm - 50p.	1	84
TAK 11	Tack rags CTI H ₂ O 80cm x 80cm - 50p.	1	84



Unique anti static formula!

TAK 20
Tack rags 'soft'

- Made of non-woven material, no cotton.
- Attention: before use unfold completely and then make a ball; use this ball to rub the surface gently, by which the rag will wipe away all dust
- Attention: do not put pressure on the rag during use, as you might only move the dust in stead of wiping it away.

Code	Description (sales unit)	Box	PAL
TAK 20	Tack rags soft 17cm x 45cm - 100p.	1	112


TAK 30-31
Tack rags 'smooth'

- Unique impregnation: never dries out - silicone free.
- Ideal for large surfaces.
- Attention: do not put pressure on the rag during use, as you might only move the dust in stead of wiping it away.
- Now also available in individual packaging: TAK 31

Extra advantage TAK 30:

- Impregnated with a waterbased product: works antistatic, unlike other tack rags.
- Never leaves traces of glue that could possibly cause a reaction with any paint.
- Also ideal to quickly remove dust from furniture or other smooth objects in wood, metal or plastic.

Code	Description (sales unit)	Box	PAL
TAK 30	Tack rags smooth 38cm x 45cm - 30x6p.	1	105
TAK 31	Tack rags smooth 38cm x 45cm - 100x1p.	1	50



FOL 40-42-45-46

Paint absorbent masking film

- HDPE white transparant film printed to indicate the paint absorbent side.
- The film is light transparent to facilitate cutting away the surface to be painted.
- film is sufficiently static to protect the vehicle from overspray and is folded in a way that the film can be unrolled, unfolded and cut by only one person.
- Film has corona treatment for optimum paint absorpction.

Code	Description (sales unit)	Box	PAL
PLA 03	HDPE masking film static in a box - green - 10µm 380cm x 200m	1	32
CRM 20	Standard paint absorbent masking film in a box 400cm x 150m	1	55
CRM 40	Standard paint absorbent masking film in a box 400cm x 300m	1	32
FOL 40	Premium paint absorbent masking film in a box 400cm x 200m	1	32
FOL 45	Premium paint absorbent masking film in a box 500cm x 120m	1	32
FOL 46	Premium paint absorbent masking film in a box 600cm x 150m	1	18
FOL 42	Premium+ paint absorbent masking film in a box - 400cm x 200m	1	32



With handy opening



PLA 03 HDPE masking film

- HDPE green masking film is not paint absorbent and is used only for protection.
- Film has no corona treatment and needs to be combined with masking paper.



FOL 43 Premium masking film

- The lilac transparent masking film FOL 43 is not only a good static masking film that holds paint on the exterior of the film, but also has a special layer on the inner side of the film to absorb rests of humidity on the car. This way you avoid white spots after spraying.
- After masking a wet surface, it's possible that humidity settles into the old paint layer after spraying and drying, and this leaves white spots in the old paint layer. These spots can be removed by exposing the surface to infrared heating as infrared heats from inside out (polishing is NO OPTION) but prevention is better than curing. This lilac masking film has the following advantages, just like all other masking films:
- Excellent paint absorbing on the exterior side, logo printed side.
- Easily cut.
- Statically loaded so application can be made by 1 person.

Remark:

- The absorption capacity of this film is limited: the film absorbs humidity, but a soaking wet car needs to be dried before masking.
- When applying be sure that the film is put on the car with the logo to the outside, only this side is treated to hold paint and spray dust.
- Polishing is not an option

Tip:

If white spots appear after masking with masking film: NEVER try to solve this by polishing, spots will come back. Remove these spots by exposing the surface to Spectratek infrared short wave and the spots will disappear like snow in summer.

Code	Description (sales unit)	Box	PAL
FOL 43	Premium+ paint & moisture absorb. mask. film in a box lila - 400cm x 150m	1	24
EQU 70	Dispenser for masking film single	1	X



EQU 70

DAE Masking film with pre-treatment

- Pre-cut, static masking film with tape - to be torn by hand!
- Film is treated for optimum paint absorption.
- To be unfolded by right-handed people.

Code	Description (sales unit)	Box	PAL
DAE 035	Masking film 35cm x 25m - 20p.	1	90
DAE 060	Masking film 60cm x 25m - 16p.	1	90
DAE 100	Masking film 100cm x 25m - 16p.	1	60
DAE 120	Masking film 120cm x 25m - 16p.	1	60
DAE 180	Masking film 180cm x 25m - 15p.	1	60
DAE 260	Masking film 260cm x 25m - 12p.	1	50

MAP B Masking paper 40 g/m²

- 40 gr/m² kraft paper.
- Pure, not recycled.
- One side glossy and therefore paintproof.
- Dustfree.
- Available in 6 sizes.
- Individual packed

Code	Description (sales unit)	Box	PAL
MAP B 020	Masking paper Kraft pure 20cm x 450m 40 g/m ²	X	125
MAP B 030	Masking paper Kraft pure 30cm x 450m 40 g/m ²	X	75
MAP B 040	Masking paper Kraft pure 40cm x 450m 40 g/m ²	X	75
MAP B 060	Masking paper Kraft pure 60cm x 450m 40 g/m ²	X	50
MAP B 090	Masking paper Kraft pure 90cm x 450m 40 g/m ²	X	25
MAP B 120	Masking paper Kraft pure 120cm x 450m 40 g/m ²	X	25



PLA 50 Cutter for masking film standard
PLA 52 Cutter for masking film premium

Code	Description (sales unit)	Box	PAL
PLA 50	Cutter for masking film - standard	250	X
PLA 52	Cutter for masking film - premium	10	X
PLA 55	Replacement blades for premium cutter 10p.	10	X



FOL 65-66 Wheel well protection cover

- This cover does not only protect the wheel, but the entire wheel well area against overspray. Use both handles to pull together the cover, insert in wheel well and let go. The steel spring inside will secure the cover in place.
- The cover also prevents dust from coming out of the wheel well while spraying.
- Available in three dimensions.

Code	Description (sales unit)	Box	PAL
FOL 65	Wheel well protection cover 88 x 58 x 20cm	X	100
FOL 66	Wheel well protection cover 96 x 64 x 22cm	X	100



TMF 80
 33 - 58 inches

TMF 80 Rim masking film

- TMF saves time in masking the traditional way of the tyre, or to avoid taking off the tyre entirely and to be balanced again afterwards still repainting the rim completely including the edge and beyond.

Code	Description (sales unit)	Box	PAL
TMF 80	Rim masking film 4x20p. in dispenserbox	X	48



PLA 81

PLA 81 Wheel well protection cover

Code	Description (sales unit)	Box	PAL
PLA 81	Wheel covers 20µm 250p. - 70 x 34.5 x 90cm	1	96

SPT Spon tape

- Rounded foam strip for masking joints between two panels.
- One side of the strip has been treated with heat resistant adhesive. Simply stick to the inside of one of the panels and close the other panel.
- Protects the joint perfectly, absorbs the paint and avoids edge building.
- After drying remove directly to avoid adhesive staying on the panel.

Next to the familiar round versions (SPT 13-17), we now also have an oval version available (SPT 25). This offers the following advantages:

- Unlike SPT 13-17, SPT 25 does not need to be stuck to the inside of the backwing, but to the inside of the door. This has 2 important advantages:
 - The paint never comes in contact with the glue layer of SPT 25.
 - Furthermore SPT 25 can still be repositioned for a perfect finishing, after closing the door (see application photos).
- SPT 25 is eccentrically glued on the right side, due to which this foam is perfect to use with fade out spraying, without edge forming.

Tip:

Make sure the adhesive cannot make contact with the paint to exclude chemical reactions.

Tip:

Make sure the surface is well degreased before applying SPT.

Tip:

Never stretch the foam to guarantee a good adhesion.

SPT 05 Flexi no edge blending tape

- Foam tape helps blending out clear coats and 2K topcoats
- Can be used to avoid edge forming by applying primers
- Time savings in sanding primers and polishing clear coats
- Flexible application, also on round forms
- Easy to use for masking curves
- TIP: remove before drying to avoid glue rests

Code	Description (sales unit)	Box	PAL
SPT 13	Spon tape 13mm x 50m	1	119
SPT 17	Spon tape 17mm x 40m	1	119
SPT 25	Spon tape 25mm x 37m	1	119
SPT 05	Flexi no edge blending tape 15mm x 25m	1	210







TAP 50-52 Duct tape

- Strong but tearable cloth based tape, ideal as a problem solver and very suitable for protecting the bodywork against sanding through paint on an adjacent area.
- Does not leave glue behind after removal.
- Can be handy for towing and transporting a damaged vehicle.
- Available in silver or black.
- High quality.

Code	Description (sales unit)	Box	PAL
TAP 50	Duct tape grey - 50mm x 50m - 18 rolls	1	48
TAP 52	Duct tape black - 50mm x 50m - 18 rolls	1	48





MST 700
Masking tape 120 °C

- Entirely saturated masking tape of high adhesive strength.
- Can be used with all water and solvent based paints.
- Easily removable.
- Fit to use in combination with wet sanding.
- Excellent adhesion on most surfaces.
- Solvent resistant.
- Heat resistant: 30 minutes at 120 °C
- Carrier: 63g/m² green saturated crêpe paper; water resistant.
- Thickness: 0,130mm.
- Adhesive strength on steel: 4,8 N/25mm.

FOL 800
Masking tape gold 100 °C

- Masking tape of the new generation.
- Can be used with all water and solvent based automotive paints.
- Solvent and water resistant.
- Excellent adhesion on all surfaces, also on plastics and rubbers.
- More flexible than traditional masking tape.
- Can easily be used in soft curves and can replace fine line tape.
- Heat resistant: 30 minutes at 100 °C Suitable for oven drying.
- Ultra thin carrier (0,08mm): Japanese flat paper (rice paper).
- Adhesive strength on steel: 4,8 N/25mm.
- Saves a considerable amount of time during disassembly and assembly.
- Never leaves traces of glue, not even on polycarbonate of head and tail lights.

FOL 900
Masking tape 100 °C

- Traditional high quality automotive masking tape.
- Can be used with all automotive paints, mainly with solvent based paints.
- Excellent adhesion on most surfaces.
- Heat resistant:
 - 10 minutes at 100 °C
 - 30 minutes at 80 °C
 - 60 minutes at 60 °C
- Carrier: 59 g/m² crêpe paper.
- Thickness: 0,125mm.
- Adhesive strength on steel: 4,8 N/25mm.

Code	Description (sales unit)	Box	PAL
MST 719	Masking tape 120 °C 19mm x 50m - 48p.	1	48
MST 725	Masking tape 120 °C 25mm x 50m - 36p.	1	48
MST 730	Masking tape 120 °C 30mm x 50m - 32p.	1	48
MST 738	Masking tape 120 °C 38mm x 50m - 24p.	1	48
MST 750	Masking tape 120 °C 50mm x 50m - 24p.	1	36

Code	Description (sales unit)	Box	PAL
FOL 819	Masking tape gold- 19mm x 50m - 48p.	1	84
FOL 825	Masking tape gold- 25mm x 50m - 36p.	1	84
FOL 830	Masking tape gold - 30mm x 50m - 32p.	1	48
FOL 838	Masking tape gold- 38mm x 50m - 24p.	1	84
FOL 850	Masking tape gold- 50mm x 50m - 18p.	1	36

Code	Description (sales unit)	Box	PAL
FOL 919	Masking tape 100 °C 19mm x 50m - 48p.	1	48
FOL 925	Masking tape 100 °C 25mm x 50m - 36p.	1	48
FOL 930	Masking tape 100 °C 30mm x 50m - 32p.	1	48
FOL 938	Masking tape 100 °C 38mm x 50m - 24p.	1	48
FOL 950	Masking tape 100 °C 50mm x 50m - 24p.	1	36



FOL 51
Lifting tape

- Masking tape with 13mm plastic strip for masking around wind screens. Simply place the plastic strip between rubber and panel and then pull away the rubber from the panel by attaching the tape to the window.
- Easy to cut to size with scissors.

Code	Description (sales unit)	Box	PAL
FOL 51	Lifting tape -10mm x 10m - 1p.	10	1080

FOL 51ET
Lifting tape 'Easy Tear'

- masking tape with 10mm plastic strip for masking around wind screens. Simply place the plastic strip between rubber and panel and then pull away the rubber from the panel by attaching the tape to the window.
- The tape and strips are perforated every 46mm, so they can be torn by hand.
- Always tear from the plastic side to the tape side.

Code	Description (sales unit)	Box	PAL
FOL 51ET	Lifting tape 'Easy Tear' 10mm x 10m - 1p.	10	1080

FOL 501MT
Lifting tape 'Multi'

- Masking tape with two different sized plastic strips for masking various area of the vehicle. The combination of two plastic strips makes it possible to use one tape for three different applications. Simply place one, two or the two strips folded together between rubber and panel and then pull away the rubber from the panel by attaching the tape to the wind screen.
- The tape and strips are perforated every 42mm, so they can be torn by hand.
- Always tear from the plastic side to the tape side.

Code	Description (sales unit)	Box	PAL
FOL 501MT	Lifting tape 'Easy Tear' 10mm x 10m - 1p.	10	1080

FOL 303-325 Fine line tape blue

- PVC tape for specific masking tasks such as spraying of multiple colours, art-work or 'custom painting'.
- This tape is thinner and more flexible.
- The excellent adhesive quality makes it possible to mask on plastics and rubber.
- 7 different sizes available.
- Unique stretch.

Code	Description (sales unit)	Box	PAL
FOL 303	Fine line tape - 3mm x 33m	10	X
FOL 306	Fine line tape - 6mm x 33m	10	X
FOL 309	Fine line tape - 9mm x 33m	10	X
FOL 312	Fine line tape - 12mm x 33m	10	X
FOL 315	Fine line tape - 15mm x 33m	10	X
FOL 319	Fine line tape - 19mm x 33m	10	X
FOL 325	Fine line tape - 25mm x 33m	10	X

FOL 303-325

DZB 05-25

DZB 04-25 Double sided tape red

- Acrylic adhesive base tape for attaching protection strips on to vehicles.
- Acryl as adhesive basis gives strong initial contact which offers superior adhesion given any temperature.
- Good degreasing of the panel before application already means half of a good result.
- The advantage of this unique acrylic tape is that the initial strength after 2 minutes is 80% of the total, where traditional double sided foam tape requires 12 to 24 hours to reach the same strength.

Code	Description (sales unit)	Box	PAL
DZB 04	Double sided tape 4mm x 10m	10	X
DZB 06	Double sided tape 6mm x 10m	10	X
DZB 09	Double sided tape 9mm x 10m	10	X
DZB 12	Double sided tape 12mm x 10m	10	X
DZB 15	Double sided tape 15mm x 10m	10	X
DZB 19	Double sided tape 19mm x 10m	10	X
DZB 25	Double sided tape 25mm x 10m	10	X



DRF Dust removal file

- A dust file made of very hard metal for removal of dust and dirt from dried paint.
- Simply lay the file flat down on the surface and gently cut the contamination out of the paint with a minimum of damage.

Code	Description (sales unit)	Box	PAL
DRF 05	Dust removal file rounded	X	X
DRF 10	Dust removal file straight	X	X
DRF 50	Magnetic holder for dust removal file for DRF 10	X	X



ACG 00 Auto clean gum

- Kneadable gum for removing paint overspray without harming the lacquer.
- Apply the cleaner to the surface and rub the overspray away with the gum.
- Can also be used to remove other smut from the lacquer: such as tar, tree resin, ...

Code	Description (sales unit)	Box	PAL
ACG 00	Auto clean gum grey (premium) - 200gr	X	X



DRF 10

DRF 05

DRF 50



PMP Touch up tips

- 100 touch up tips packed in a convenient and dust free dispenser. Ideal for touching up small paint damage and stone chips.
- The plastic shaft with plush free tip is disposable, convenient and cheaper than a classic brush. Always a clean tip at hand!
- Can also be used as a pencil. By changing the pressure, you receive a bigger or smaller print. Ideal for making small lines.
- Available in 3 thicknesses:
- blue (regular) PMP 20 = 2,0mm
- yellow (fine) PMP 21 = 1,5mm
- white (very fine) PMP 22 = 1,0mm
- Thickness of the applicator = 3,28mm

Code	Description (sales unit)	Box	PAL
PMP 20	Touch up tips in a dispenser - 100p. REGULAR - blue - 2,0mm	96	X
PMP 21	Touch up tips in a dispenser - 100p. FINE - yellow - 1,5mm	96	X
PMP 22	Touch up tips in a dispenser - 100p. VERY FINE - white - 1,0mm	96	X

PMP 22



PMP 21

PMP 20

CNS 12



CNS 10

CNS Cleaning needle set

- A set contains one penholder with 10 replacement needles, individually packed in a blister.
- The needles have microscopic small hooks which make it possible to remove dust and dirt from wet paint.

Code	Description (sales unit)	Box	PAL
CNS 10	Cleaning needle set	X	X
CNS 12	Replacement needles in a blister - 10p.	15	X

FOL 02-03-04-05-06

Lifting wire

- Hollow plastic wire for masking around windows with large rubbers (older type).
- By using the different tools the wire can be inserted under the rubber so the window can be masked off more easily and one can paint under the rubber.

Code	Description (sales unit)	Box	PAL
FOL 02	Lifting cable 2mm x 167m	6	90
FOL 03	Lifting cable 3mm x - 125m	6	90
FOL 04	Lifting cable 4mm x - 100m	6	90
FOL 05	Lifting cable 5mm x - 77m	6	90
FOL 06	Lifting cable 6mm x - 63m	6	90



TSP 110 - 120 - 130 - 140 Primer

Light grey/grey/dark grey/white

Universal primer in light grey, grey and dark grey, and white suitable to finish with all solvent and water based 1K and 2K paints, can be applied on all surfaces, ideal for fast repairs after sanding too hard. Also ideal for spot or panel repair, especially for smaller surfaces, apply fine layers. If you desire a thick layer: first apply 1 full layer at a distance of 30-35cm and afterwards finish with a crosswise layer at a distance of 20cm. All primer sprays have a special nozzle which sprays a flat vertical pattern, comparable with spray gun. Primer with a high viscosity: shake the can very well before the first use.

Code	Description (sales unit)	Box	PAL
TSP 110	Primer - light grey - 400ml	12	672
TSP 120	Primer - grey - 400ml	12	672
TSP 130	Primer - dark grey - 400ml	12	672
TSP 140	Primer - white - 400ml	12	672



NEW
TSP 030



NEW

TSP 030 Adhesion primer

Ideal adhesion promoter to be used on most plastics

- Spray one light coat
- Excellent adhesion
- Fast drying
- Paintable after 10 minutes

Code	Description (sales unit)	Box	PAL
TSP 030	Adhesion primer -400ml	12	672

NEW

TSP 190 Etch primer

Etching primer to be used on most metal surfaces including aluminium. Excellent anti corrosion protection and can be painted over with any 1 or 2K primer/filler.

Code	Description (sales unit)	Box	PAL
TSP 190	Etch primer - 400ml	12	672



NEW
TSP 190

NEW

TSP 810 Weld-Thru primer

Zinc phosphate

Alkyd resin based zinc-phosphate anti-corrosion primer offers rust protection for SPOT, MIG & TIG welding applications. High concentration of zinc in the dry film in a fast drying formulation to speed up the welding process with limited impact on the weld. Has excellent adhesive properties. The product can be used before and after welding. Zinc phosphate primer can be painted over with most types of lacquer systems.

Code	Description (sales unit)	Box	PAL
TSP 810	Weld thru primer zinc phosphate 400ml	12	672



NEW
TSP 530

NEW
TSP 810

TSP 530

TSP 810

NEW

TSP 530 Weld-thru primer

Copper

Acrylate resin based copper anti-corrosion primer offers rust protection for SPOT, MIG & TIG welding applications. High concentration of copper in the dry film in a fast drying formulation to speed up the welding process with limited impact on the weld. Has excellent adhesive properties. The product can be used before and after welding. Copper primer can be painted over with most types of lacquer systems.

Code	Description (sales unit)	Box	PAL
TSP 530	Weld thru primercopper - 400ml	12	672

TSP 410 Zinc spray

- This zinc spray can be used to protect naked metal temporarily before or after welding, can also be used for spot welding, paintable with all 1 and 2K paints, solvent and water based paints.
- Contains 85% zinc.

Code	Description (sales unit)	Box	PAL
TSP 410	Zinc spray - 400ml	12	672





TSD 50 Magnetic aerosol holder

Now with new pre-mounted magnets on the back

Code	Description (sales unit)	Box	PAL
TSD 50	Magnetic aerosol holder	10	500

TSP 520-525 Wheel spray

Ultrafine & Fine

Two more aerosols completing the program, two alloy silver color repair tools, one is medium bright, the other is very bright and ultrafine to assure both are able to repair in a fast and easy way most of the alloy wheels on the market.

Code	Description (sales unit)	Box	PAL
TSP 520	Wheel spray silver - light and ultrafine - 400ml	12	672
TSP 525	Wheel spray silver - medium light & fine - 400ml	12	672

TSP 910 Matt black

Black matt paint for quick plastic repair or to cover up overspray on plastic inner parts in a fast and easy way.

Code	Description (sales unit)	Box	PAL
TSP 910	Matt black spray - 400ml	12	672



NEW

TSP 920 Fade out thinner

Blending solvent to dissolve edges of clear coats making a perfect transition between old and new clear coat. Universal use as it is compatible with all A-brands clear coats, no spray gun needed so much faster in SMART repair.

Code	Description (sales unit)	Box	PAL
TSP 920	Fade out thinner - 400 ml	12	672

NEW

TSP 710 2k clear coat

2K clear coat for the professional user: a SMART repair solution. Apply 2 layers with an interval of 10 minutes to get the perfect spray gun finish which is scratch-free, petrol and UV-resistant and suffers no weather influences. Product is isocyanate-free.

Code	Description (sales unit)	Box	PAL
TSP 710	2k clear coat - 250 ml	6	696

NEW

TSP 720 2k spray putty

Fast drying high build 2K polyester spray putty. A SMART repair solution:

- Fast drying, sandable after 1 hour curing at 20°C and normal humidity.
- High build capacity up to 100µm in 3 layers (leave flash off 5 minutes between layers)
- Excellent adhesion on bare metal, galvanised substrates and sanded old paint jobs.
- Can be sprayed over with all common 1K Base- and 2K Topcoat Systems on the market.
- Isocyanate-free and solvent-free

Code	Description (sales unit)	Box	PAL
TSP 720	2k spray putty - 250ml	6	696

NEW
TSP 720

NEW
TSP 920



NEW
TSP 710



AGB & AGG Anti-gravel Coating

Grey & Black

Flexible, good adhesion and high solventbased stone chip protection in grey or black color.

Code	Description (sales unit)	Box	PAL
AGB 01	Anti-gravel coating paintable - black - 1l	12	600
AGG 01	Anti-gravel coating paintable - grey - 1l	12	600



TSP 210-230 Anti-gravel

Grey & Black

Anti gravel, deliverable in light grey and black, supplied with a round thick spray jet to apply the viscous product in thicker layers. To become a composition of layers: apply crosswise layers at a distance of 35cm, shortening the distance means a more glossy result, can be painted with all 1 and 2K paints.

Code	Description (sales unit)	Box	PAL
TSP 210	Anti-gravel - grey - 400ml	12	672
TSP 230	Anti-gravel - black - 400ml	12	672



TSP 310-320 Sanding guide

Black & fluo green

Unique product ! Thanks to unique composition this sanding guide can be sanded after 3 seconds at 20 °C without filling the sanding paper. Contrary to most comparable products in the market this product causes no extra abrasive consumption. Available in black and green.


Code	Description (sales unit)	Box	PAL
TSP 310	Sanding guide - Black - 400ml	12	672
TSP 320	Sanding guide - Fluo green - 400ml	12	672

CPS 00



NEW

Unique adjustable nozzles.



NEW
TSP 100

NEW
TSP 900

NEW

TSP 100 Prefill Solvent-Based

- A spray can, can be pre-filled with propellant to be compatible with most brands of solvent based paints. The paint is transferred via a filling device into the can to produce a ready-to-use end product (dealers liability)
- Adaptable spray nozzle for horizontal (spray gun-effect) to round (for closed parts) alignment of the spray pattern
- Higher spray rate and higher working speed
- Ideal for spot repair

Code	Description (sales unit)	Box	PAL
TSP 100	Prefill Solvent-Based - 400ml	12	672



NEW

Nozzle sets

Set of 10 spare nozzles, clearly identified by the symbol referring to the used aerosol.

Code	Description (sales unit)	Box	PAL
TSP 1XX	Nozzle Set - TSP 1 & TSP 310, 320	xx	xx
TSP 2XX	Nozzle Set - TSP 2	xx	xx
TSP 4XX	Nozzle Set - TSP 410	xx	xx
TSP 5XX	Nozzle Set - TSP 520, 525 & 030	xx	xx

NEW

TSP 900 Prefill Water-Based

- A spray can, can be pre-filled with a propellant balanced to be compatible with most brands of water based paints. The paint is transferred via a filling device into the can to produce a ready-to-use end product (dealers liability)
- Adaptable spray nozzle for horizontal (spray gun-effect) to round (for closed parts) alignment of the spray pattern
- Higher spray rate and higher working speed
- Ideal for spot repair

Code	Description (sales unit)	Box	PAL
TSP 900	Prefill Water-based - 400ml	12	1176

NEW

TSP 600 Foam it

Every now and then, our industry is introduced to what might look as simple designed but in practice turns out to be a revolutionary performance. Foam it! is such a product.

Foam it! is an ammonia free universal water based cleaner and degreaser in an aerosol. In contradiction to what is on the market already, Foam it! is not only ammonia free but leaves a thin foam layer once sprayed on the surface, which makes it easy to wipe off without excessive foam doing nothing then foaming. The thin foam releases all kind of dirt and grease almost instantly from any surface and wipes off very easily, without leaving any traces. Can be used as a general purpose automotive or domestic cleaner, but also as a preparation before painting or plastic repair considering its unique degreasing formula.

The applications are endless but to give you a few, it can be used as the perfect:

- Dry cleaner for cars (exterior painted parts, carwash without water)
- Car interiors (plastic, leather, wood, metal, glass) as on dashboards, door panels, LCD screens
- Kitchen cleaner and bathroom cleaner thanks to its anti-bacterial quality
- Window cleaner, mirror cleaner, TV cleaner
- Rim cleaner
- Application: Foam it! and wipe off with a soft micro-Fibre or non-woven wipe

Code	Description (sales unit)	Box	PAL
TSP 600	Foam-it - 500 ml	12	1008









03 PANEL REPAIR

42 sanding

63 Fillers/putties

68 Seam sealer & glues

70 Plastic repair



SAM 15 Sanding pad velcro 15 holes - Ø 150mm

- Sanding pad 15 holes, Ø 150mm
- Supplied with the necessary spacers and different bolts
- Fits on all types of sanding machines
- **S for soft**, generally used on sanding machines with 2,5mm deviation and grit P400 or finer.
- **M for medium**, generally used on sanding machines with 5mm deviation and grit P400 or coarser.

Code	Description (sales unit)	Box	PAL
SAM 15M	Sanding pad velcro 15 holes MEDIUM universal Ø 125mm	1	X
SAM 15S	Sanding pad velcro 15 holes SOFT universal Ø 150mm	1	X

NEW

SAM 125 Sanding pad universal velcro 8 holes - Ø 125mm

- Sanding pad 8 holes, Ø 125mm
- Supplied with the necessary spacers and different bolts
- Fits on all types of sanding machines
- **S for soft**, generally used on sanding machines with 2,5mm deviation and grit P400 or finer.
- **M for medium**, generally used on sanding machines with 5mm deviation and grit P400 or coarser.

Code	Description (sales unit)	Box	PAL
SAM 125S	Sanding pad velcro 8 holes SOFT universal Ø 125mm	1	X
SAM 125M	Sanding pad velcro 8 holes MEDIUM universal Ø 125mm	1	X

NEW
SAM 125



SAM 36



SAM 37

SAM 36-37

Soft interface pads 5 - 10 mm

Flexible sanding pad adaptor (SAM 36-37) that changes the existing medium or solid pad on the sanding machine into a soft pad, and this way it will be possible to combine with finer sanding paper, P600 and finer.

- Alternative is to replace the mediumpad (SAM 15M) directly by the soft pad (SAM15S).
- 5mm or 10mm - 15 holes

Code	Description (sales unit)	Box	PAL
SAM 36	Sanding pad adaptor soft velcro 10mm for SPDA/SFDA - 15 holes	1	X
SAM 37	Sanding pad adaptor soft velcro 5mm for SPDA/SFDA - 15 holes	1	X

SAM 50-51 Premium pneumattic eccentric sanding machines & accessories

- These two new DA sanders with an orbital of 2,5 and 5mm, will complete the existing sander program.
- The high quality sanders SAM 50 and SAM 51 are extremely quiet in use (less than 82 dB)
- Gives almost no vibrations (less than 2,5m/s²)

Code	Description (sales unit)	Box	PAL
SAM 00	Pneumattic eccentric sanding machine standard - Ø 150mm - 2,5mm deviation	12	192
SAM 01	Pneumattic eccentric sanding machine standard - Ø 150mm - 5,0mm deviation	12	192

SAM 00-01 Standard pneumattic eccentric sanding machines & accessories

- Ergonomic eccentric sanding machine.
- Diameter bottom velcro, 15 holes: 150mm.
- Available with 2,5mm deviation, for finishing work, P400 and finer sanding paper.
- Available with 5,0mm deviation, for preparation work, P400 and coarser sanding paper.
- Built-in speed control, can be adjusted continuously between 0 - 20 000 rpm.
- Extremely light: 660gr. including sanding pad.
- Vibration free and reliable thanks to four layers: 2 above and 2 under the motor.
- Composite motor on rotor blades.
- Built-in option to work with or without Hoover.
- 112l/min at 6,3 bar.

Code	Description (sales unit)	Box	PAL
SAM 00	Pneumattic eccentric sanding machine standard - Ø 150mm - 2,5mm deviation	10	200
SAM 01	Pneumattic eccentric sanding machine standard - Ø 150mm - 5,0mm deviation	10	200

NEW

MSP 00 Mini Sander Polisher

Code	Description (sales unit)	Box	PAL
MSP 00	Mini Sander Polisher	10	200



NEW
MSP 00

SAM 00-01

SAM 50-51



SAB 07 Sanding block flat hand grip + 3 different shapes

- Set of sanding blocks with 3 different shapes.
- Use your sanding disks on your universal sanding blocks.
- Ergonomic grip.
- 3 Different shapes to sand flat, concave and convex surfaces.
- No more waste of half-used sanding discs.

Code	Description (sales unit)	Box	PAL
SAB 07	Sanding block - ergonomic grip + 3 different shapes	1	X



SAB 50 Velcro board

- The organizer for your sanding gear.
- Can easily contain most of your used sanding blocks and 2 eccentric sanders.
- The organization can be personalized, therefore the photograph is showing only one possibility.


Code	Description (sales unit)	Box	PAL
SAB 50	Board for sanding blocks	1	X



SAB Sanding block with extraction

- Ergonomic grip.
- Balanced weight distribution for an equal pressure.
- Equipped with a connection for the exhaust tube.
- Equipped with a rounded angle to remove easily the used sanding paper.

Code	Description (sales unit)	Box	PAL
SAB 30	Sanding block with extraction 70 x 125mm - 8 holes	1	X
SAB 31	Sanding block with extraction 70 x 198mm - 8 holes	1	X
SAB 32	Sanding block with extraction 70 x 400mm - 14 holes	1	X
SAB 33	Sanding block with extraction 115 x 230mm - 10 holes	1	X
SAB 07	Sanding block - ergonomic grip + 3 different shapes	1	X
SAB 50	Board for sanding blocks	1	X



SAB 35 Sanding block with extraction

- Ergonomic grip.
- Balanced weight distribution for an equal pressure.
- Equipped with a connection for the exhaust tube.
- Equipped with a rounded angle to remove easily the used sanding paper.

Code	Description (sales unit)	Box	PAL
SAB 35	Sanding block with extraction - 70 x 148mm - 8 holes	1	X


Sanding paper

Based on our experience in the professional body shop and in corporation with several paint manufacturers, we have developed a complete program of abrasives adapted to the latest technology in car refinishing. With the introduction of environmental friendly paints, high solid products, UV primers and clear coats, application of water based paints, anti-scratch coatings, self-repairing clear coats, anti-chip clear coats, ... into the automotive refinish, 21st century abrasives requirements have evolved substantially.

Therefore with abrasives, one does not only get a complete program in different shapes to be used by hand or with a sander, but a cost effective product that is fast, sharp and long-lasting on any modern application.

GREEN:

- Film disc
- Faster
- Longer
- Without clogging
- Old paints & new paints
- High solid primers & clearcoats & Polyester putties




SFDA Sanding disc

Ø 150mm - 15 holes

Code	Grit	Box	Outer box
SFDA 0060	P60	50	8
SFDA 0080	P80	100	8
SFDA 0100	P100	100	8
SFDA 0120	P120	100	8
SFDA 0150	P150	100	8
SFDA 0180	P180	100	8
SFDA 0220	P220	100	8
SFDA 0240	P240	100	8
SFDA 0280	P280	100	8
SFDA 0320	P320	100	8
SFDA 0360	P360	100	8
SFDA 0400	P400	100	8
SFDA 0500	P500	100	8
SFDA 0600	P600	100	8
SFDA 0800	P800	100	8
SFDA 1000	P1000	100	8
SFDA 1200	P1200	100	8
SFDA 1500	P1500	100	8
SFDA 2000	P2000	100	8
SAM 00-01-50-51	Sanding machine		
SAB 01-07	Sanding block		





SPDA Sanding disc

Ø 150mm - 15 holes

Code	Grit	Box	Outer box
SPDA 0040	P40	50	8
SPDA 0060	P60	50	8
SPDA 0080	P80	100	8
SPDA 0100	P100	100	8
SPDA 0120	P120	100	8
SPDA 0150	P150	100	8
SPDA 0180	P180	100	8
SPDA 0220	P220	100	8
SPDA 0240	P240	100	8
SPDA 0280	P280	100	8
SPDA 0320	P320	100	8
SPDA 0360	P360	100	8
SPDA 0400	P400	100	8
SPDA 0500	P500	100	8
SPDA 0600	P600	100	8
SPDA 0800	P800	100	8
SPDA 1000	P1000	100	8
SPDA 1200	P1200	100	8
SPDA 1500	P1500	100	10
SPDA 2000	P2000	100	10
SPDA 2500	P2500	100	10
SPDA 3000	P3000	100	10
SAM 00-01-50-51	Sanding machine		
SAB 01-07	Sanding block		

RED:

- Paper disc
- Faster
- Longer
- Without clogging
- Old paints & new paints
- High solid primers & clear coats & Polyester putties

The technology is the result of years of trial and error combined with the feedback of paint manufacturers. Where in the past an abrasive was a question of getting a grid glued to a paper laminated with Velcro, today's abrasives are:

- Double glued layer of the grid avoiding detachment of the grit.
- Blue fired aluminium oxide grid partly enriched with diamond based powder, increasing the durability.
- Uniformed orientation of the grit on the backing, insuring the sharpest point of the grit is making contact with the surface increasing the sharpness and speed during sanding.
- Stearate hot melted coating avoiding clogging of dust particles into the abrasive making the paper long lasting.

Besides the standard shapes hereby in our catalogue, we complete our program more and more with "specials", to be discovered in the following pages.






SPDM Sanding disc

Ø 35 mm


Code	Grit	Box	Outer box
SPDM 1500	P1500	100	X
SPDM 2000	P2000	100	X
SPDM 2500	P2500	100	X
SPDM 3000	P3000	100	X
DRF 50	mini sanding block		



SPDD Sanding disc

Ø 125 mm - 8 holes

Code	Grit	Box	Outer box
SPDD 0080	P80	100	10
SPDD 0100	P100	100	10
SPDD 0120	P120	100	10
SPDD 0150	P150	100	10
SPDD 0180	P180	100	10
SPDD 0220	P220	100	10
SPDD 0240	P240	100	10
SPDD 0280	P280	100	10
SPDD 0320	P320	100	10
SPDD 0360	P360	100	10
SPDD 0400	P400	100	10
SPDD 0500	P500	100	10
SPDD 0600	P600	100	10
SPDD 0800	P800	100	10
SPDD 1000	P1000	100	10
SPDD 1200	P1200	100	10



SPDE Sanding disc

Ø 203 mm - 8 holes

Code	Grit	Box	Outer box
SPDE 0080	P80	100	10
SPDE 0120	P120	100	10
SPDE 0150	P150	100	10
SPDE 0240	P240	100	10
SPDE 0320	P320	100	10
SPDE 0400	P400	100	10



SPFA Sanding paper

114mm x 25m - Softback

- Sanding paper on roll with foam backing.
- Packed in a handy dispenser box. This way the sanding paper is protected from dust and other pollution.
- The sanding paper is perforated. Therefore each single sheet (114mm x 125mm) can easily be torn off.
- At the back the paper has a comfortable mousse: thanks to this mousse the pressure during manual sanding is spread equally.
- Easily adjusts to round, concave or convex shapes.
- Prevents sanding at the edges.
- The foam backing can be used to easily free the sanded surface from sanding dust.

Code	Grit	Box	Outer box
SPFA 0080	P80	25m	10
SPFA 0150	P150	25m	10
SPFA 0180	P180	25m	10
SPFA 0240	P240	25m	10
SPFA 0320	P320	25m	10
SPFA 0400	P400	25m	10
SPFA 0500	P500	25m	10
SPFA 0600	P600	25m	10
SPFA 0800	P800	25m	10
SPFA 1000	P1000	25m	10





SPDQ/SPDR Foam disc

Ultimate sanding, in order to sand with the desired grit to obtain a perfect result, preparing the surface in painting, fading out or polishing. Assures adhesion, flattens out without the risk of going through the painted surface, respects the shape of the panel. Can be used dry or wet. Better results are using wet combined with DGR water based degreaser.

Applications:

- Final step in sanding order, preparing for painting
- Preparing the surface in blending out color
- Dust removal without taking away the desired structure of the clear coat
- Preparing the surface for fading out clear coat
- Removal of dirt or contamination before polishing
- Smoothing the surface before polishing

SPDQ Foam discs velcro


Ø 150mm

Code	Grit	Box	Outer box
SPDQ 0500	P500	10	8
SPDQ 0600	P600	10	8
SPDQ 0800	P800	10	8
SPDQ 1000	P1000	10	8
SPDQ 1500	P1500	10	8
SPDQ 2000	P2000	10	8
SPDQ 2500	P2500	10	8
SPDQ 3000	P3000	10	8

SPDR Foam discs velcro

Ø 75mm

Code	Grit	Box	Outer box
SPDR 0800	P800	20	8
SPDR 1000	P1000	20	8
SPDR 1500	P1500	20	8
SPDR 2000	P2000	20	8
SPDR 2500	P2500	20	8
SPDR 3000	P3000	20	8



SFDP Sanding disc

Ø 75mm

Code	Grit	Box	Outer box
SFDP 0080	P0080	50	8
SFDP 0120	P0120	50	8
SFDP 0180	P0180	50	8
SFDP 0240	P0240	50	8
SFDP 0320	P0320	50	8
SFDP 0400	P0400	50	8
SFDP 0500	P0500	50	8
SFDP 0600	P0600	50	8
SFDP 0800	P0800	50	8
SFDP 1000	P1000	50	8
SFDP 1200	P1200	50	8
SFDP 1500	P1500	50	8
SFDP 2000	P2000	50	8



SUNE Sanding sheet

230mm x 280mm

Code	Grit	Box	Outer box
SUNE 0040	P40	25	10
SUNE 0060	P60	25	10
SUNE 0080	P80	50	5
SUNE 0100	P100	50	5
SUNE 0120	P120	50	5
SUNE 0150	P150	50	5
SUNE 0180	P180	50	5
SUNE 0220	P220	50	5
SUNE 0240	P240	50	5
SUNE 0280	P280	50	5
SUNE 0320	P320	50	5
SUNE 0360	P360	50	5



SUNE Sanding sheet

230mm x 280mm - waterproof

Code	Grit	Box	Outer box
SUNE 0400	P400 waterproof	50	5
SUNE 0500	P500 waterproof	50	5
SUNE 0600	P600 waterproof	50	5
SUNE 0800	P800 waterproof	50	5
SUNE 1000	P1000 waterproof	50	5
SUNE 1200	P1200 waterproof	50	5
SUNE 1500	P1500 waterproof	50	5
SUNE 2000	P2000 waterproof	50	5
SUNE 2500	P2500 waterproof	50	5



SCA Sanding cloth

80mm x 133mm

The sanding cloth is a new tool for the body shop : sand wet complete surfaces and not only edges in applications like preparing for blending or polishing, shallow equal scratch pattern, just by hand or on the SAB 30 block, moistened with water based degreaser or just water. The cutting power is high, fast, uniformed, long lasting, works up to two times faster than wet sanding paper, more flexible by hand and easier to reach smaller corners, curves and edges; no risk of sanding through or re-works.

Code	Grit	Box	Outer box
SCA 0500 Brown	P500	50	9
SCA 0800 Purple	P800	50	9
SCA 1500 Red	P1500	50	9
SCA 2000 Green	P2000	50	9

IMPROVED



IMPROVED

SAB 01 Sanding block

for Ø 150mm

Code	Description (sales unit)	Box	PAL
SAB 01	Sanding block ergonomic grip for sanding discs Ø150mm	6	X

NEW
SAP 01




NEW

SAP 01 Sanding Pad

for SCA

Code	Description (sales unit)	Box	PAL
SAP 01	Sanding Pad for SCA	6	X



SPSA Sanding strip
70mm x 127mm - 8 holes

Code	Grit	Box	Outer box
SPSA 0060	P60	50	8
SPSA 0080	P80	100	8
SPSA 0100	P100	100	8
SPSA 0120	P120	100	8
SPSA 0150	P150	100	8
SPSA 0180	P180	100	8
SPSA 0240	P240	100	8
SPSA 0320	P320	100	8
SPSA 0400	P400	100	8
SAB 30	Sanding block with extraction		




SPSB Sanding strip
70mm x 198mm - 8 holes

Code	Grit	Box	Outer box
SPSB 0060	P60	50	8
SPSB 0080	P80	100	8
SPSB 0100	P100	100	8
SPSB 0120	P120	100	8
SPSB 0150	P150	100	8
SPSB 0180	P180	100	8
SPSB 0240	P240	100	8
SPSB 0320	P320	100	8
SPSB 0400	P400	100	8
SAB 31	Sanding block with extraction		



SPSC Sanding strip
70mm x 420mm - 14 holes

Code	Grit	Box	Outer box
SPSC 0060	P60	50	8
SPSC 0080	P80	100	8
SPSC 0100	P100	100	8
SPSC 0120	P120	100	8
SPSC 0150	P150	100	8
SPSC 0180	P180	100	8
SPSC 0240	P240	100	8
SPSC 0320	P320	100	8
SPSC 0400	P400	100	8
SAB 32	Sanding block with extraction		



SPSD Sanding strip
115mm x 230mm - 10 holes

Code	Grit	Box	Outer box
SPSD 0060	P60	50	8
SPSD 0080	P80	100	8
SPSD 0100	P100	100	8
SPSD 0120	P120	100	8
SPSD 0150	P150	100	8
SPSD 0180	P180	100	8
SPSD 0240	P240	100	8
SPSD 0320	P320	100	8
SPSD 0400	P400	100	8
SAB 33	Sanding block with extraction		



FFP Flat Foam Pads

115mm x 115mm

Mattening becomes an easy, comfortable job with this Foam backing pad. The sanding grit is no longer applied on a paper backing but directly glued into the foam. The result is astonishing: faster mattening than with traditional scuff rolls solutions, finer than with foam backing abrasives, more flexibility to get access to the smallest corners and water absorbing!

Code	Grit	Box	Outer box
FFP 0320	Primer prep	50	4
FFP 0500	Base coat prep	50	4
FFP 0800	Clear coat prep	50	4
FFP 1500	Fade out prep	50	4

01 Holds liquid, so easy to dose

The FFP can be used dry, but performs better in combination with mattening paste, water based degreaser or just water. Combined with water based degreaser, the panel is matted and degreased in one single application. Due to the special foam holding the liquid, one can easily adjust the amount that should be released and adapt during the application.

02 easy access to difficult areas with maximum comfort.

Due to the foam backing, the FFP has the flexibility to reach more difficult spots or harder to sand areas without tearing or losing its strength. At the same time, the flat foam pad offers a comfortable sanding method perfect for every finish.

03 Never a risk for sanding through or leaving behind marks

The calibrated FFP grits will results in an even and finer finish on the sanding area whilst traditional papers and/or scuff rolls can leave irregular sanding marks

04 Perfect for blending & eliminates the need for unnecessary polishing.

Whether it is applying primer, or finishing up, the FFP eliminates the need for extra sanding and unnecessary polishing.





Watch movie



SUNI Quik change sanding disc

Ø 50mm

- The SUNI sanding discs are made of “opencoated” sanding grain and are available in 2 different thicknesses: P36 and P50.
- The carrier is not the traditional paper or PVC carrier, but rather a solid and thick PVC layer which acts as a carrier and also as a flexible support pad.
- The SUNI discs can be used to remove paint easily, rust and irregularities on places which are difficult to reach.
- The back side of the integrated support pad has a thread (“1/4”) for fast changing of accessories.
- Use of safety goggles is recommended!

Code	Grit	Box	Outer box
SUNI 0036	P36	25	8
SUNI 0050	P50	25	8

POL 70 Matting compound

matting compound is a composition of liquid chemicals and abrasives intended for surface preparation prior to blending and new panels painting. It is suitable for any types of paints including waterborne. To be used in combination with non woven cloth for instance the SOF 20 or SBR 20.

- Fits all types of paints.
- Produces matt surface.
- Easy to apply.
- Easy to remove with no traces.
- Can be used dry or combined with DGR.

Code	Description (sales unit)	Box	PAL
POL 70	Matting compound 1kg	8	480

SBR 10-20-30 Scuff rolls

Non woven nylon abrasive tissue with impregnated sanding grain, to quickly and comfortably depolish surfaces that need to be sprayed.

Code	Description (sales unit)	Box	PAL
SBR 10	Scuff rolls: A / very fine - red - 100mm x 10m	5	120
SBR 20	Scuff rolls: S / ultra fine - grey - 100mm x 10m	5	120
SBR 30	Scuff rolls: micro fine - gold - 100mm x 10m	5	120





NEW

PPM 40 Rubber spreaders

- Rubber spreaders are very flexible and give a softer finish
- Dimensions: 100mm x 70mm

Code	Description (sales unit)	Box	PAL
PPM 40	Rubber spreaders - 20p.	10	X



PPM 10 Plastic spreaders

- Plastic disposable spreaders
- Dimensions: 116mm x 78mm

Code	Description (sales unit)	Box	PAL
PPM 10	Plastic Spreaders - 4p.	100	X



PPM 20 Metal spreaders

- Flexible metal spreaders
- One set is made up of 4 different widths: 50mm, 80mm, 100mm and 120mm

Code	Description (sales unit)	Box	PAL
PPM 20	Metal spreaders (metal) - 4p.	100	X

GAP Polyester putty + hardener

User info: mix your putty always with 2 to 3% hardener; if you have any doubt, please use a balance. Too much hardener causes not only a fast drying, but can also cause detachment of the putty and can leave marks through the paint. Mix the hardener very carefully with the putty and avoid air infiltration during mixing, this can give irregularities during application and sanding of the putty. Choose the right putty for the right application.



GAP 10

GAP 10 Polyester putty MULTI

MULTI - universal 2K polyester putty. Can be used on most bases such as steel, wood, plastic Less suitable for light metals and galvanized bases. Can be finished afterwards with FINE putty or directly with an undercoat, primer or filler.

Description (sales unit)	Box	PAL
GAP 10 Polyester putty 2kg + hardener - multi	6	288

GAP 20 Polyester putty FINE

FINE - fine finishing putty. To be used after "MULTI" putty to remove small irregularities. A real finishing putty, easy and fine sanding.

Description (sales unit)	Box	PAL
GAP 20 Polyester putty 2kg + hardener - fine	6	288



GAP 20

IMPROVED

GAP 30 Polyester putty LIGHT

LIGHT - GAP 30 - universal finishing putty, a real light weight, same applications as "MULTI" putty but results in the same fine finish as "FINE" putty, easy sanding.

Code	Description (sales unit)	Box	PAL
GAP 30	Polyester putty 1,5 kg + hardener - light	6	288



GAP 30

GAP 00 Black Polyester putty GAPOL

GAPOL - GAP 00 - black universal polyester putty, similar to "MULTI" putty but black color, sanding is a bit more difficult but this product also gives an universal adhesion on light metals, perfect for plastic reparations. Universal filler, adheres to old painted surfaces, but also to steel, galvanised metal, aluminium, all kinds of plastic, wood and MDF.

- Already during application, the black shining filler offers visual aid, as on a black shining surface it is easy to see all irregularities / imperfections with the naked eye.
- Built-in sanding guide: during sanding the putty fades from black to dark grey. The spots that are too low (not sanded) clearly remain black.
- Once degreased, the filler regains its deep black colour. Inspecting for possible irregularities is easy now.
- Built-in coating guide and sanding through guide: whether one finishes with beige or grey filler, once the black colour is covered, one can also be sure of the necessary thickness of the filler coating. If afterwards one would sand through the putty accidentally, the black base will occur as a sanding through guide.

Code	Description (sales unit)	Box	PAL
GAP 00	Gapol 2kg + hardener	6	288



GAP 00



GAP 40 Polyester putty FIBER

FIBER - a full fiber putty: a universal polyester putty with glass fibers to fill up larger surfaces and bigger irregularities; also perfect for polyester applications and repairs.

	Description (sales unit)	Box	PAL
GAP 40	Polyester putty 1,8kg + hardener - fiber	6	288



GAP 50 Polyester putty ALU

ALU - a polyester putty refined with aluminium particles, can be used on light metals and galvanized surfaces.

	Description (sales unit)	Box	PAL
GAP 50	Polyester putty 2kg + hardener - alu	6	288



GAP 51/DEB 51 Hardener

	Description (sales unit)	Box	PAL
GAP 51	Hardener red - 50g	100	X
DEB 51	Debrasel hardener - white - 30g	100	X






DEB 12 Debrasel Alsi + hardener

Alsi 12 is a cold metal that can be used as an alternative to lead

Code	Description (sales unit)	Box	PAL
DEB 12	Debrasel Alsi 12 1l + hardener	12	480



IMPROVED

GAP 60 Mixing board

Multi-layered mixing palette board for better mixed putty. It is better to use this board instead of mixing the putty with its hardener on the palettes themselves this to prevent pin holes during application. Made of non-absorbing treated paper to avoid resin and hardener to be soaked up by the paper. Reduces cleaning: after use: simply tearing off the used sheet and throw away.

Code	Description (sales unit)	Box	PAL
GAP 60	Mixing board 100 sheets	10	1000



NEW COLOUR

SSS 100-200-300-400 Sprayable Seam Sealer

- MS Polymer
- Firm-setting sealer for interior and exterior auto body seams and joints.
- Replaces and repairs factory sealing jobs in trunk, floor and drip rail areas.
- No primer needed, good adhesion, lasting flexibility.
- Vaporised, using a pneumatic caulking gun, the seam sealer can be used inside door skins, inside body panels, or any area where a sound deadening and/or structured coating is needed.
- Standard 290ml cartridge, fits in all standard caulking guns.
- Available in white, grey and black color.
- Paintable after 30 minutes with any water based or solvent based primer, basecoat or topcoat.

Code	Description (sales unit)	Box	PAL
SSS 100	Sprayable seam sealer 290ml - white	12	1248
SSS 200	Sprayable seam sealer 290ml - grey	12	1248
SSS 300	Sprayable seam sealer 290ml - black	12	1248
SSS 400	Sprayable seam sealer 290ml - Beige	12	1248
SSS 000	Spraytip - 10p.	10	X
SSS 005	1k spraytip with wings - 100pcs	X	X
SSS 030	Brush - 30 mm	X	X



NEW
SSS 400



NEW
SSS 005

ESS Seam sealer on a roll

- OEM profile.
- Can be applied quickly and easily.
- Heat resistant and can be overpainted immediately.

Code	Description (sales unit)	Box	PAL
ESS 08	Seam sealer on a roll - 8mm x 9m	10	X
ESS 10	Seam sealer on a roll - 10mm x 9m	10	X
ESS 20	Seam sealer roller	100	X





NEW
MSA 100

PLI 50 Metal bonding

- Epoxy based glue developed to bond panels of equal or different material together. Offers an alternative to welding.
- The solution to bond panels of different composition to one another.
- Applications: replacement of a roof panel or aluminium fender, aluminium door panel on a steel door frame.
- Can be used as an alternative for welding panels.

Code	Description (sales unit)	Box	PAL
PLI 50	Metal bonding - 60min - black - 220ml.	6	X
PLI 55	Mixer tips for metal bonding - 10p.	1	X
PLI 60	Applicator gun for metal bonding	1	X



NEW

MSA 100 MS fast adhesive

MS fast adhesive is a universal sealant and adhesive based on hybrid technology for the professional user which cures under influence of humidity to form a durable elastic rubber.

- Durable, permanent elastic.
- Universal bonding and sealing
- Adheres perfectly without primer on most even damp surfaces.
- Free of isocyanates, solvents and silicones.
- No shrinkage and bubble free.
- Good UV resistance.
- Neutral curing, almost odorless.
- Non corrosive to metals.
- High mechanical resistance strength.
- Absorbs acoustical and mechanical vibrations.
- Paintable with most common 1 and 2k paints.

Code	Description (sales unit)	Box	PAL
MSA 100	MS Fast adhesive	12	1248



NEW
IAG 20

NEW

IAG 20 Instant Adhesive Gel

Instant adhesive gel provides rapid bonding of a wide range of materials (metals and plastics and others). Can also be used for bonding porous materials such as wood, paper, leather and fabric.

- Can be used on all surfaces.
- Medium viscosity
- 1k product
- Cures at normal room temperature
- Designed for OEM assembly

Code	Description (sales unit)	Box	PAL
IAG 20	Instant adhesive gel	6	X

PLI Plastic repair

01 Plastic repair can be used on any kind of plastic (except SMC) and different repairs

- Filling holes and deep scratches/scraps
- repairing cracks
- Bonding



- Complete set for the repair of all types of plastics and polyester.
- A set contains 2 tubes 'slow', 2 tubes 'medium', 2 tubes 'fast', 10 mixer tips, 1 applicator gun, 1 roll of reinforcement canvas, 1 roll of contour canvas, 1 bottle of cleaner and 1 bottle of primer.
- Professional product with a number of OEM recommendations.

Code	Description (sales unit)	Box	PAL
PLI 00	Plastic repair set	5	X
PLI 01	Plastic repair 'fast' (25sec) black - 50ml	6	X
PLI 02	Plastic repair 'medium' (1,5min) black -50ml	6	X
PLI 03	Plastic repair 'slow' (3,5min) black - 50ml	6	X
PLI 05	Mixer tips for plastic repair - 10p.	1	X
PLI 10	Applicator gun for plastic repair	25	X
PLI 15	Reinforcement canvas 12cm x 3,6m	10	X
PLI 16	Contour canvas 12cm x 3,6m	10	X
PLI 20	Primer - 200ml	6	672
PLI 21	Cleaner - 500ml	12	672
PLI 021	Plastic repair 'medium' (1,5min.) black - 220ml	1	X
PLI 031	Plastic repair 'slow' (3,5min.) black - 220ml	1	X
PLI 041	Plastic repair 'slow' (10min) black - 220ml	1	X

02 Plastic repair respects the drying times on the label

cures within specified times detailed on packaging / higher temperatures can accelerate curing. If above ambient temperature 24 degrees allow for this when selecting speed. In warmer climatic conditions use the slower speed to allow sufficient work-times. The product could cure faster than expected.



Packed per 6

03 Thickness and strenght

plastic repair only needs 0.15mm thickness to maintain 100% of curing. The unique allowable thickness of cured matterial at 0.15mm mean no "picking up" of adhesive when sanding and feathering to edges.



Watch movie





NEW

SCC 05 Stone chip repair

- Besides the detract from the appearance of your car and the risk of corrosion/rust that will develop due the damage caused repairing stone chips is an annoying, time and product consuming, job.
- With the stone chip repair all of this belong to the past, just match and apply the base coat and stone chip repair takes care of the rest.
- High level of finish with the same strength, durability and chemical resistance as a 2K clear coat it is ready for the job!

Code	Description (sales unit)	Box	PAL
SCC 05	Stone chip repair - 5 ml	6	X





01 Degrease

Clean the area to be repaired with a water based degreaser



02 Flatten the edges

Flatten the edges of the stone chip using a P1500 sanding cloth (SCA 1500) or mini disc (SPDM 1500)



03 Degrease

Clean the surface again with a water based degreaser

04 Apply base coat

Apply the base coat and let it dry



05 Apply SCC

Apply a thin layer of Stone chip repair using a mini brush and leave to dry +20min @20°C in normal humidity.

06 Apply a second layer of SCC

Check the surface and add another layer of stone chip if needed.



07 Sanding

Sand the repair using a P1500 sanding cloth or mini disc until the surface is even.

08 Sanding

Sand another 2 steps with a foam disc P2000 and P2500



09 Polish

Polish the surface with a water based polish compound.





04 ASSEMBLY DISASSEMBLY

72 Fluo markers, films & pads

73 Adhesive eraser, logo tape & trim removal set.



WAP 10 Sound deadening pads

- Self adhesive sound deadening pads for application inside doors, boot, roof etc. and prevent vibration sound.
- Bitumen based with protection layer, very flexible, easy to cut and heat resistant.
- Each pad can be torn in half due to a perforated line in the middle to make two pads of 25cm x 50cm.

Code	Description (sales unit)	Box	PAL
WAP 10	Sound deadening pads 50cm x 50cm - 10p.	1	100

WAP 15 Trunk isolation pads

- Specific flat surface, as OEM applied in German cars.
- Self adhesive sound deadening pads for application inside doors, boot, roof etc. and prevent vibration sound.
- Bitumen based with protection layer, very flexible, easy to cut and heat resistant.

Code	Description (sales unit)	Box	PAL
WAP 15	Trunk isolation pads 50cm x 50cm - 10p.	1	100

EQU 91 Panel fixation set

- Set of 5 interchangeable bars that can be used to fixate panels in a firm 'open' position to work on them. For use on doors, bonnet and boot lid.
- Each bar has a hook and an eye for attachment on to a lock.

Code	Description (sales unit)	Box	PAL
EQU 91	Panel fixation set	1	X



TIP:

- Not to be used on Freshly Painted panels as you can create scratches
- Solvents can react with the MAR liquid



MAR Fluo markers

- Handy to mark for instance smaller damages on cars
- Easily removed by any type of degreaser
- Available in two colours: green and pink, fluorescent
- Two sizes: round diameter 4mm & rectangular 15 x 7mm

Code	Description (sales unit)	Box	PAL
MAR 11	Fluo marker - green - 12p. fine 1,5mm	10	X
MAR 12	Fluo marker - pink - 12p. fine 1,5mm	10	X
MAR 21	Fluo marker - green - 6p. 5mm-15mm	10	X
MAR 22	Fluo marker - pink - 6p. 5mm-15mm	10	X

PLA 80 Door foam film

- Foam film with adhesive for finishing and isolating inside doors as original.
- Raster printed protection film for easy cutting in to shape.

Code	Description (sales unit)	Box	PAL
PLA 80	Door foam film - 60cm x 10m	1	72

IMPROVED

PRD Adhesive eraser and accessories

- Rotation disc made of natural rubber available in different models and dimensions.
- To be used on a power drill to remove adhesives, stickers or double sided tape without harming the surface underneath.
- Recommended rotation speed between 2,000 and 4,000 rpm.
- PRD 55: specific machine developed for PRD 05.
- PRD 05: ridged adhesive eraser Ø 100mm x 26mm
- Advantage of PRD 05 over PRD 01: the disc is much wider and is ridged. Due to the ridge the paint does not become warm, there is no paint damage and works three times faster than the PRD 01. The combination of PRD 05 with PRD 55 also results in a better finish and is much more user friendly than PRD 01 on a drilling machine.
- PRD 01: can be used on every drilling machine.

Code	Description (sales unit)	Box	PAL
PRD 01	Adhesive eraser large with integrated arbor Ø 88mm x 15mm	100	X
PRD 05	Ridged adhesive eraser Ø 100mm x 26mm	50	X
PRD 10	Steel brush for PRD 55	1	X
PRD 11	Adaptor for PRD 10	1	X
PRD 50	Adapter for PRD 01	50	X
PRD 55	Pneumatic machine - 4000 rpm	10	X

IMPROVED

FOL 62 Logo tape

- Adhesive transfer with dimensions 50mm x 300mm for re-fixing logos / emblems on to the panel.
- Clean surface and logo with degreaser, remove cover strip, press the logo down on the adhesive transfer for several seconds and remove adhesive transfer.
- The logo now has enough adhesive in all the right places to be attached permanently to the body work.


Code	Description (sales unit)	Box	PAL
FOL 62	Logo tape	10	X



TRT 27 Trim removal tool set

With this complete set of plastic tools, interior panel removing without damaging the panel becomes an easy job, good overview without losing any item thanks to the handy toolkit case.

Code	Description (sales unit)	Box	PAL
TRT 27	Trim removal tool set - 27p.	5	120



PRD 10





05 CLEANING PROTECTION

- 80** Car cleaning products
- 82** Polishing
- 86** Leather repair
- 92** Spray overalls
- 96** Gloves & Safety boots
- 100** Spray masks, dust masks & hand cleaners
- 102** Spraybooth products



POL 40 Micro fiber cloth

the super soft green micro-Fibre cloths, packed 5 pieces, ideal to remove polish rests and to create a gloss on the surface.

Code	Description (sales unit)	Box	PAL
POL 40	Micro fiber cloth green - 40 x 40 cm - 5p.	36	360

BUC 12 Bucket & spout

12 Litre bucket with pour spout, available with optional 'Ant-Dirt' Screen keeping larger dirt at the bottom and avoiding the transfer of these sharp components to your vehicles surface

Code	Description (sales unit)	Box	PAL
BUC 12	Bucket - black 12l	X	675
BUI 12	Anti-dirt grid for BUC 12	X	X



BUI 12

BUC 12

SPM 00 - SPJ 00 Sponges

Choice of two excellent sponges: soft springy artificial material, highly water-absorbent, with or without micro-Fibre skin resulting in easy dirt removal without leaving scratches

Code	Description (sales unit)	Box	PAL
SPM 00	Micro-Fibre sponge - green	48	480
SPJ 00	Jumbo sponge - orange	48	480



WWB 00 Water Blade

- Soft silicone blade for removing water fast and easy after washing down a vehicle without harming the lacquer.
- Works very fast
- Makes no scratches
- Flexible silicone blade moulds to the shape of any surface
- Virtually eliminates messy towels and chamois
- Reduces streaking by 80%
- Suitable for all surfaces
- Width: 33cm

Code	Description (sales unit)	Box	PAL
WWB 00	Water blade	50	X





Watch movie

SPW 05 Spray wax

- Unique formula, never leaves traces, not even on windows.
- Can be used directly on the panel (dry) to add gloss and protection.
- Also to be used on a wet washed car, to improve drying in combination with micro-Fibre towels.
- Without any silicone content, to be safely used in the body shop.
- Helps remove holograms after polishing.

Code	Description (sales unit)	Box	PAL
SPW 05	Spray wax - 5l	4	120
LSP 15	Pressure sprayer - 500ml	60	360



CSH 05 All in one car shampoo

- Excellent cleaning power
- Top wax protection included
- Almost completely self drying
- Ensures gloss back easily
- Bio degradable
- Can be used by hand or high pressure water cleaning machine

Code	Description (sales unit)	Box	PAL
CSH 05	All in one car shampoo - green - 5l	4	120



POL 55

IMPROVED

IMPROVED

POL 55 Electric polisher

The polish paste, easily recognizable as the light green color, is a unique product, developed for the professional bodyshop worker for all his polishing applications.

Code	Description (sales unit)	Box	PAL
POL 55	Electric polish machine - 800W 700-2500 rpm	4	X



POL 50

POL 50 Pneumatic polisher

The lightweight pneumatic polisher has a special speed control function, allowing the user to regulate the speed of the polisher and therefore also suited in combination with the POL 10 leading to maximum performance from low to medium speed polishing

Code	Description (sales unit)	Box	PAL
POL 50	Pneumatic polish machine	10	300

POL 60/62 Polishing case

A complete set for polishing including two bottles of the unique one step polish, all different mops (two of each), polishing machine and set of micro fibre cloths.

Code	Description (sales unit)	Box	PAL
POL 60	Polishing case complete	1	48
POL 62	Polishing case + MHW	1	48

POL 10 One step polish paste

The New Finixa Professional Polisher, easily recognizable as the light green color, is a unique product, developed for the professional bodyshop worker for all his polishing applications.

Based on the nanotechnology, this paste can polish not only very fast from coarse to very fine, but it also brings back the gloss degree of 95%. An additional advantage is that this paste stays "wet" for a longtime and minimizes the risk on dry powder rests. This polish paste can be used on old paints and fresh paints, also on all 2K products and the newest generation of ceramic paints.

Code	Description (sales unit)	Box	PAL
POL 10	One step polish paste - 1 kg	8	480
POL 05	One step polish paste - 0.5 kg	10	800





Watch movie



POL 20 **POL 21**



POL 25 **POL 26**



POL 30 **POL 31**

POL 20-21 Orange foam pad

Code	Description (sales unit)	Box	PAL
POL 20	Orange foam pad 'open cell' - 145/30mm - 2p.	100	X
POL 21	Orange foam pad 'open cell' - 80/30mm - 2p.	350	6300

POL 25-26 White foam pad

Code	Description (sales unit)	Box	PAL
POL 25	White foam pad 'closed cell' - 145/30mm - 2p.	100	X
POL 26	White foam pad 'closed cell' - 80/30mm - 2p.	350	6300


POL 30-31 Black foam pad

Code	Description (sales unit)	Box	PAL
POL 30	Black foam pad 'soft' 145/30mm - 2p.	100	X
POL 31	Black foam pad 'soft' 80/30mm - 2p.	350	6300

IMPROVED

POL 35 Lambswool pad

Code	Description (sales unit)	Box	PAL
POL 35	Foam pad 135/30mm labswool 2p.	X	864



IMPROVED

The orange and black polishing foampads (POL 20 and POL 30) are open cell foampads, the orange has a rather solid structure and the black has a soft structure; the white polishing foampad POL 25 has a closed cell structure and we also have the lambswool pad (POL 35). Most work can be done with the orange foampad. The white foampad can be used to remove faster more matterial and the fastest way to remove matterial is to use the lambswool pad; to finish and remove holograms you can use the black foampad, which can be used also eccentrically on the machine to remove holograms easier.



BTG Black tyre gel

Black tyre gel can be applied with the POL 33 foam pad to make tires deep black and leaving them shining for a very long time. Also suitable to refurbish non painted plastic parts. Water based and silicon-free

Code	Description (sales unit)	Box	PAL
BTG 05	Black tyre gel - 0,5 kg	10	800

POL 33 Hand Foam pad

Open foam pad with handgrip: can be used to polish or wax manually

Code	Description (sales unit)	Box	PAL
POL 33	Hand foam pad - soft	X	X
POL 34	Hand foam pad - medium	X	X



NEW

PRG Plastic renewal gel

Plastic renewal gel nourishes plastic, leather interiors re-intensifying the color leaving a silky matt, natural gloss. Easy application with POL 33. Water based and silicon-free

Code	Description (sales unit)	Box	PAL
PRG 05	Plastic renewal gel - 0,5 kg	10	800



MHW 05-10 Machine & hand wax

Protect your paint or polished work for a long time; use this MHW 10 wax by hand or machine, by hand: rub in with POL 33, wait a few minutes and polish the excessive dry product away with a clean micro-Fibre; used with the machine: apply at medium speed and a soft pad the product onto the panel and afterwards wipe away the excessive with a micro-Fibre, grapefruit smell.

Code	Description (sales unit)	Box	PAL
MHW 10	Machine / hand wax - 1 kg	8	480
MHW 05	Machine / hand wax - 0,5 kg	10	800



LRS 90 Leather repair set

The leather repair set is a complete range of products to protect, clean, repair and restore plastic and leather interiors of cars.



Code	Description (sales unit)	Box	PAL
LRS 01	Leather shine and protect - 250ml	70	X
LRS 10	Ink disolver - 20ml	100	X
LRS 11	Power cleaner - 250ml	70	X
LRS 12	Stain remover - 250ml	70	X
LRS 13	Intense cleaner - 250ml	70	X
LRS 14	Stain remove sponge	60	X
LRS 20	Leather & textile degreaser - 400ml	24	X
LRS 22	Leather glue - 20ml	100	X
LRS 23	Mesh	X	X
LRS 30	Fine filler - 75ml	100	X
LRS 31	Filler - 15ml	80	X
LRS 32	High build filler - 15ml	80	X
LRS 33	Surface structure copier - 50ml	70	X
LRS 34	Structure copier applicator	10	X
LRS 35	Heat resistant foil for structure copier	100	X
LRS 36	Mixertip for structure copier	X	X
LRS 40	Colour samples for touch up	X	X
LRS 41	Plastic primer - 400ml	24	X
LRS 42	Extra adhesion - 250ml	70	X
LRS 43	Touch up - Black - 100ml	144	X
LRS 44	Touch up - White - 100ml	144	X
LRS 45	Touch up - Caramel - 100ml	144	X
LRS 46	Touch up - Light brown - 100ml	144	X
LRS 47	Touch up - Mahogany - 100ml	144	X
LRS 48	Touch up - Lemon yellow - 100ml	144	X
LRS 49	Touch up - Golden yellow - 100ml	144	X
LRS 50	Touch up - Bordeaux - 100ml	144	X
LRS 51	Touch up - Scarlet red - 100ml	144	X
LRS 52	Touch up - Super blue - 100ml	144	X
LRS 53	Touch up - Cobalt - 100ml	144	X
LRS 54	Matting additive for touch up - 250ml	70	X
LRS 55	Colour fixer - 250ml	70	X
LRS 56	High density sponge	72	X
LRS 60	Texturing spray - 400ml	24	X
LRS 70	Matt top coat - 250ml	70	X
LRS 71	Glossy top coat- 250ml	70	X
LRS 72	Top coat adhesion promotor - 25ml	70	X
LRS 90	Leather repair set	X	X



LRS 10 Ink Disolver

Ink desolver will easily remove recent ballpoint ink or lipstick from topcoated leather, vinyl or vinyl-like surfaces. Can also be used to remove stains if the surface was pre-treated with leather shine and protect.



LRS 11 Power cleaner

Advanced cleaning product, formula will remove difficult stain from pigmented leather.



LRS 12 Stain remover

Solvent based stain remover for perseverant stains such as transferred colour from blue jeans, clothes, pillows, blankets, ink, newspapers, etc. on finished leather and vinyl.

LRS 20 Leather & textile degreaser

Aerosol to remove daliy stains such as saturated oil, grease and sweat stains from leather.



LRS 13 Intense cleaner

Intense cleaner is a very strong cleaner for pigmented leather. It will remove all types of stains but also the color of the leather. respray of color afterwards is necessary, this product must be used in a well ventilated area.

LRS 14 Stain remove sponge

Sponge with high cleaning characteristics that will remove deep and ingrained stains



LRS 30 Fine filler

The fine filler is used to cover small defects such as scratches, thorn marks, cracks and abrasions. Easy sanding, ideal to get perfect even surface needed in a complete refinishing job.



LRS 31 Filler

Filler can be used to repair superficial damage like scratches, etc. on pigmented leather.



LRS 32 High built filler

The heat activated high build filler is used to repair heavily damaged leather such as cuts and cigarettes burns.



LRS 22 Leather glue

Heat activated leather glue is a flexible, strong adhesive, formulated for repairing flaps, abrasions or cuts on leather and vinyl. Will not modify the leathers characteristic due to the natural flexibility which will result in a durable repair.

LRS 23 Mesh

Very strong mesh used to repair cuts and holes.



LRS 33-34-35-36

Surface structure copier

2k surface copier, after drying the patch can be used to copy the original structure of the leather into the fillers.





LRS 41 Plastic primer

Plastic primer is an adhesion promoter for car interiors and plastic surfaces. Provides excellent adhesion for touch up and is used as a primer to paint basecoat on plastic.

LRS 42 Extra adhesion

Extra adhesion is a specialized primer for interior refinishing preparing the leather or plastic surface to obtain a durable adhesion of the touch up paint.



LRS 40 Colour sample for touch up

Colour matching chart to define the correct colour formula.

LRS 43-53 Touch up colours

Water-based solvent free quick drying colour base for genuine leather repair.



LRS 56 High density sponge

High dense sponge ideal to apply touch up colour, can be used with solvent based cleaners.



LRS 54 Matting additive for touch up

Matting additive is a water-based dulling agent to be used in combination with touch up colour base to match the original grade of gloss.

LRS 55 Colour fixer

Additive for colour base and top coats to improve product flow and adhesion.





LRS 70 Matt top coat

Matt top coat is a water based topcoat giving a matt, durable finish with high Scratch resistance. Excellent flow out making it easy to apply. Can be mixed with glossy top coat to add glossiness.

LRS 71 Glossy top coat

Glossy top coat is a water based topcoat giving a bright, durable finish with high scratch resistance. Excellent flow out making it easy to apply. Can be mixed with matt top coat to reduce glossiness.

LRS 01 Leather shine and protect

Water-based protective cream creating a barrier to prevent penetration of dirt contamination in the leather. It will not make the leather more glossy than it was before: respects the original gloss/matt finish of the leather.

LRS 72 Top coat adhesion promoter

Additive for matt or gloss top coat, promoting the adhesion of the top coat and results in a better rub resistance after application.



SOG - SOGK Polyester Teflon® spray overall with optional grey knee protection

- Very strong high density, teflon coated grey overall.
- Polyester is antistatic and therefore attracts less dust.
- Teflon treated polyester fibre that protects against paint penetration.
- With hood and breast pocketed.
- With optional knee protection.

Code	Description (sales unit)	Box	PAL
SOG 07	Polyester Teflon spray overall grey - S - option knee protection	50	X
SOG 08	Polyester Teflon spray overall grey - M - option knee protection	50	X
SOG 09	Polyester Teflon spray overall grey - L - option knee protection	50	X
SOG 10	Polyester Teflon spray overall grey - XL - option knee protection	50	X
SOG 11	Polyester Teflon spray overall grey - XXL - option knee protection	50	X
SOGK 02	Knee protection	40	X



PHO High tech spray overall

- A new revolutionary technology.
- The only washable overall on the market that gives 100% protection during the application of high solid paint products.
- The front is a Teflon treated polyester fibre that protects against paint penetration.
- The back is completely made of multi dry woven material.
- Multi dry absorbs all the perspiration of the body and vaporises this humidity into the air (from the head, back, armpits, back of the knee).
- Very comfortable to wear.
- The overall has two large side pockets and one breast pocket.
- It also has shoe protection.
- Centred waist band for comfort.
- Washable at 30 °C, up to 10 times.

Code	Description (sales unit)	Box	PAL
PHO 07	High tec spray overall - white / blue 07 / S	25	800
PHO 08	High tec spray overall - white / blue 08 / M	25	800
PHO 09	High tec spray overall - white / blue 09 / L	25	800
PHO 10	High tec spray overall - white / blue 10 / XL	25	800
PHO 11	High tec spray overall - white / blue 11 / XXL	25	800



TCC-TCO Carbotec overall & spray coat

Carbotec models are completing our overall program as highest standard available on the market: Carbotec technology comes in overall or spray coat; made of lint-free & silicone free polyamide filaments in addition, the fabric is woven with 2% carbon fiber to avoid any electrical charging (EN1149). The original DuPont Teflon coating ensures that the overall is dirt and water repellent. The AVS ventilation system will guarantee the wearer excellent breathability. The Carbotec offers a high degree of process reliability.

TCC Teflon® Carbotec spray coat

- Polyester fabric, woven with 2% carbon fiber.
- EN1149:1, permanent antistatic, original Dupont Teflon coated.
- 1 chest pockets, 2 side pockets.
- Plastic press buttons, cord cuffs at the wrist.
- 2-way zipper covered / velcro closing.
- Permanent antistatic, washable, breathable.

Code	Description (sales unit)	Box	PAL
TCC 07	Teflon Carbotec spray coat grey - 07 / S	25	300
TCC 08	Teflon Carbotec spray coat grey - 08 / M	25	300
TCC 09	Teflon Carbotec spray coat grey - 09 / L	25	300
TCC 10	Teflon Carbotec spray coat grey - 10 / XL	25	300
TCC 11	Teflon Carbotec spray coat grey - 11 / XXL	25	300



TCO Teflon® Carbotec overall

- Polyester fabric, woven with 2% carbon fiber.
- EN1149:1, permanent antistatic, original Dupont Teflon coated.
- Air ventilation slot at the back and under the arms.
- Integrated hood, 2 chest pockets, 2 side pockets, 1 back pocket.
- Plastic press buttons, cord cuffs at the wrist.
- Velcro closing & zipper at the ankle, 2-way zipper covered.
- Permanent antistatic, washable, breathable.

Code	Description (sales unit)	Box	PAL
TCO 07	Teflon Carbotec overall grey - 07 / S	25	300
TCO 08	Teflon Carbotec overall grey - 08 / M	25	300
TCO 09	Teflon Carbotec overall grey - 09 / L	25	300
TCO 10	Teflon Carbotec overall grey - 10 / XL	25	300
TCO 11	Teflon Carbotec overall grey - 11 / XXL	25	300



WSC Polyester spray overall

White

- Ultra light economical polyester overall in 190gr material.
- Re-usable and washable spray overall with hood and breast pocket.
- Standard colour: white.
- Also available in blue: for a minimal reflection in the lacquer.
- Polyester has the following advantages (compared to nylon): Slows down fire and is therefore safer. Polyester 'breathes' and is therefore more comfortable to wear.
- Polyester is antistatic and therefore attracts less dust.

Code	Description (sales unit)	Box	PAL
WSC 08	Polyester spray overall - white 08 / M	50	800
WSC 09	Polyester spray overall - white 09 / L	50	800
WSC 10	Polyester spray overall - white 10 / XL	50	800
WSC 11	Polyester spray overall - white 11 / XXL	50	800



NSC Polyester spray overall

Blue

- Ultra light economical polyester overall in 190gr material.
- Re-usable and washable spray overall with hood and breast pocket.
- Standard colour: white.
- Also available in blue: for a minimal reflection in the lacquer.
- Polyester has the following advantages (compared to nylon): Slows down fire and is therefore safer. Polyester 'breathes' and is therefore more comfortable to wear.
- Polyester is antistatic and therefore attracts less dust.

Code	Description (sales unit)	Box	PAL
NSC 08	Polyester spray overall - blue 08 / M	50	800
NSC 09	Polyester spray overall - blue 09 / L	50	800
NSC 10	Polyester spray overall - blue 10 / XL	50	800
NSC 11	Polyester spray overall - blue 11 / XXL	50	800



TSO Disposable spray overall

White

Code	Description (sales unit)	Box	PAL
TSO 08	Spray overall - white - 08 / M	25	800
TSO 09	Spray overall - white - 09 / L	25	800
TSO 10	Spray overall - white - 10 / XL	25 </td <td>800</td>	800
TSO 11	Spray overall - white - 11 / XXL	25	800



Tyvek tissue



Economical



CSO disposable spray overall

White

Code	Description (sales unit)	Box	PAL
CSO 08	Spray overall - white - 08 / M	25	600
CSO 09	Spray overall - white - 09 / L	25	600
CSO 10	Spray overall - white - 10 / XL	25	600
CSO 11	Spray overall - white - 11 / XXL	25	600

GLN Nitril disposable gloves

- Disposable nitril gloves are 3 times stronger than latex or vinyl and offer optimum comfort combined with optimum protection.
- No sweaty hands as compared to vinyl and latex.
- Packed per 100 pieces in a dispenser box.
- Thickness 0.09mm.

Code	Description (sales unit)	Box	PAL
GLN 08	Nitril disposable gloves - M - 100p.	10	420
GLN 09	Nitril disposable gloves - L - 100p.	10	420
GLN 10	Nitril disposable gloves - XL - 100p.	10	420



GLL B PU coated gloves

- Ultra light and comfortable glove.
- Universal use for mechanical jobs, assembly, preparation and spraying.
- Open nylon structure (outside).
- PU coating on a nylon carrier (inside).
- Excellent finger sensitivity.
- Colourfast.
- Available sizes: S, M, L, XL and XXL
- Prevents sweaty hands.

Code	Description (sales unit)	Box	PAL
GLL 07B	PU coated gloves - black - 07 / S - 12 pair	20	480
GLL 08B	PU coated gloves - black - 08 / M - 12 pair	20	480
GLL 09B	PU coated gloves - black - 09 / L - 12 pair	20	480
GLL 10B	PU coated gloves - black - 10 / XL - 12 pair	20	480
GLL 11B	PU coated gloves - black - 11 / XXL - 12 pair	20	480



GLMB Microfoam nitrile gloves

- Re-usable gloves specifically designed for assembly work.
- Strong and comfortable hand protection thanks to this nitrile foam coated glove.
- 360° Breathable never have sweaty hands.

Code	Description (sales unit)	Box	PAL
GLMB 07	Microfoam nitrile gloves - S - 12 pair	12	576
GLMB 08	Microfoam nitrile gloves - M - 12 pair	12	576
GLMB 09	Microfoam nitrile gloves - L - 12 pair	12	576
GLMB 10	Microfoam nitrile gloves - XL - 12 pair	12	576
GLMB 11	Microfoam nitrile gloves - XXL - 12 pair	12	576

GCN Nitril disposable gloves

- Disposable nitril gloves are 3 times stronger than latex or vinyl and offer optimum comfort combined with optimum protection.
- No sweaty hands as compared to vinyl and latex.
- Packed 100 pieces in a dispenser box.
- Thickness 0.11mm.

Code	Description (sales unit)	Box	PAL
GCN 08	Nitril disposable gloves- M - 100p.	10	420
GCN 09	Nitril disposable gloves - L - 100p.	10	420
GCN 10	Nitril disposable gloves- XL - 100p.	10	420





GLP Solvex PVA gloves red

- Re-usable, long PVA (Polyvinylalcohol) gloves with cotton interlock lining to offer maximum protection against chemicals.
For handling strong organic solvents.
- Unlimited protection against solvents.
- Length of the gloves: 355mm.

Code	Description (sales unit)	Box	PAL
GLP 09	Solvex PVA gloves - red - L - 1 pair	12	X
GLP 10	Solvex PVA gloves - red - XL - 1 pair	12	X



GLC Solvex nitril gloves green

- Re-usable, long nitril gloves that offer minimal protection against chemicals.
- Ideal for cleaning, recycling or coagulating jobs.
- Minimal protection against solvents (+/- 10 minutes).
- Length of the gloves: 330mm.

Code	Description (sales unit)	Box	PAL
GLC 08	Solvex nitril gloves - green - M - 12 pair	12	X
GLC 09	Solvex nitril gloves - green - L - 12 pair	12	X
GLC 10	Solvex nitril gloves - green - XL - 12 pair	12	X



GLD Solvex nitril gloves red

- Re-usable, long nitril gloves that offer medium protection against chemicals.
- Ideal for cleaning, recycling or coagulating jobs.
- Medium protection against solvents (+/- 20 minutes).
- Length of the gloves: 380mm.

Code	Description (sales unit)	Box	PAL
GLD 09	Solvex nitril gloves - red - L - 1 pair	72	X
GLD 10	Solvex nitril gloves - red - XL - 1 pair	72	X



NEW
GLQ

TIP: when you feel cold through the gloves while using them in combination with solvent products, you have to replace the gloves even if they don't show any holes. The solvent will come through the gloves and will penetrate human skin and body.

NEW

GLQ Ketone resistant gloves

GLQ is made from a unique formulation which provides exceptional protection against a wide range of aggressive solvents. It offers excellent resistance to ketones, including MEK and acetone, as well as aromatics such as toluene. The performance level is equivalent to our GLP but due to the lightweight unsupported glove construction it feels like a second skin resulting in greater tactile sensitivity which reduces hand fatigue.

Code	Description (sales unit)	Box	PAL
GLQ 08	Ketone resistant gloves - Blue - M - 1 pair	12	X
GLQ 09	Ketone resistant gloves - Blue - L - 1 pair	12	X
GLQ 10	Ketone resistant gloves - Blue - XL - 1 pair	12	X



NEW
SAS
138-146



SAS Safety boots

- Low safety boot S1p.
- 100% metal free thanks to a composite toe protection and anti-perforated kevlar sole.
- Antistatic and anti-slip, comfort sole and anti-sweat sides.
- 'EX' approved.



Code	Description (sales unit)	Box	PAL
SAS 38	Safety boots S1p - size 38	1	X
SAS 39	Safety boots S1p - size 39	1	X
SAS 40	Safety boots S1p - size 40	1	X
SAS 41	Safety boots S1p - size 41	1	X
SAS 42	Safety boots S1p - size 42	1	X
SAS 43	Safety boots S1p - size 43	1	X
SAS 44	Safety boots S1p - size 44	1	X
SAS 45	Safety boots S1p - size 45	1	X
SAS 46	Safety boots S1p - size 46	1	X



NEW

SAS Safety boots

- Safety boot S3.
- 100% metal free thanks to a composite toe protection and anti-perforated kevlar sole.
- Antistatic and anti-slip, comfort sole and anti-sweat sides.
- 'EX' approved.



Code	Description (sales unit)	Box	PAL
SAS 138	Safety boots S3 - size 38	1	X
SAS 139	Safety boots S3 - size 39	1	X
SAS 140	Safety boots S3 - size 40	1	X
SAS 141	Safety boots S3 - size 41	1	X
SAS 142	Safety boots S3 - size 42	1	X
SAS 143	Safety boots S3 - size 43	1	X
SAS 144	Safety boots S3 - size 44	1	X
SAS 145	Safety boots S3 - size 45	1	X
SAS 146	Safety boots S3 - size 46	1	X

IMPROVED

HCL 250 Hand cleaner

HCL 250 is a specially developed soap for the painter of the bodyshop.

- Cleanses strongly and reliably without harming the skin.
- Easily removes very stubborn contaminations such as lacquers (e.g. two-component lacquers), paints, acrylic paints, sealants, resins (e.g. epoxy-resins), adhesives, polyurethane-foams, etc.
- Ideal product for use in many special areas of application.
- Contains skin friendly and environmentally neutral esters to support the cleaning power.
- Effective refatting system.
- Silicon-free.
- Dermattologically tested.
- hand cleaner contains a hand moisturizing and hand nutrient agent, based on Aloë Vera.

Code	Description (sales unit)	Box	PAL
HCL 0250	hand cleaner - 250ml	12	X



HCL 3000 Hand cleaner

Hand cleaner is an all-round soap for the bodyshop professional.

- hand cleaner is specifically designed for removing solvent and water based paints, glue, oil, grease and other contamination. Biodegradable.
- hand cleaner contains a hand moisturizing and hand nutrient agent, based on Aloë Vera.

Code	Description (sales unit)	Box	PAL
HCL 3000	hand cleaner - 3l - without pump	6	180
HCL 50	wall dispenser - with pump	1	X

SCR 100 Impregnated cleaning cloths

- Poly-prop cloth impregnated with a cleaner suitable for removal of solvent based paints, ink, grease oil, wax etc.
- Very suitable for places where there is no washing facility.

Code	Description (sales unit)	Box	PAL
SCR 100	Scrubs impregnated cleaning cloths 100p. in dispenser bucket	4	80



IMPROVED



NEW

MAS 00-20 Spray mask

- Comfortable silicone mask (high quality).
- Fits tight around the face and does not cause irritation.
- With exchangeable gas filtering cartridge and exchangeable dust filtering cartridge.

Code	Description (sales unit)	Box	PAL
MAS 00	Spray mask A1 P2	60	360
MAS 20	Spray mask A2 P3	50	200
MAS 03	Dust & gas filtering cartridge A2 P3 for spray mask - 2p.	50	X
MAS 05	Dust filtering P1 cartridge for spraymask - 10p.	150	X
MAS 06	Gas filtering cartridge A1 for spraymask - 2p.	40	X
MAS 09	Cartridge ring for spraymask - 2p.	50	X
MAS 25	Cleaning cloths - 50p.	12	180



MAS 13 Carbon dust mask

Dust mask P2 including charcoal filter parts absorbing any hazardous dust particles, high comfort, long-life, FFP2.

Code	Description (sales unit)	Box	PAL
MAS 13	Carbon dust mask P2 with 2 valves - 5p.	20	220

MAS 12 Dust mask fine

- Dust mask fine for optimum comfort.
- With or without valve.
- Safety class P1 or P2.
- Packed per 15 or 20 pieces in a dispenser box.

Code	Description (sales unit)	Box	PAL
MAS 12	Dust mask P2 with valve - 15p.	16	288





CPP 17 Cabine Protect wall protection peelable

- White peelable coating for the protection of spraybooth walls against overspray.
- Apply with a spraygun (2.5) in 2 to 3 coats.
After contamination it is best to put an extra coat on and repeat, this will save time and makes it easier to peel off the coating in one piece once it has reached a certain thickness.
- Biodegradable.

Code	Description (sales unit)	Box	PAL
CPP 17	Cabine Protect peelable 17l	X	24

01 Application

Product can be applied with paint roller, pressure tank (SPG 80), airless or airmix. The surface has to be smooth and cleaned before use. CPP may not be applied on a porous or rusted surface. CPP is a thixotropic product, thoroughly stirring the product will result in an easier and better application. When first applying the product, make sure to apply 3 layers.

02 Usage and removal

We advise to apply 2 or more layers every 6 weeks to cover overspray. Although spot repairs can be done when necessary, always apply a minimum of 3 layers (up to 11 before removing)

The more layers you apply, the easier it is removed!





Watch movie



CBC 05 Cabine Clean paint dissolvent

- Biodegradable paint solvent.
- Water based.
- VOC free.
- Apply the product with a brush or roll, let it rest for 5 to 15 minutes and then remove with a rag.
- Rinse with water.
- Dissolves both water based and solvent based 1 and 2K paint products.
- Useful to remove dried remaining paint on spray guns, paint mix tables, mixing room, floor and cabin walls.
- Warning: always test on a small surface first.

Code	Description (sales unit)	Box	PAL
CBC 05	Cabine Clean - 5l	X	96



CLM 05 Liquid Masking wall protection washable

- Originally designed to protect vehicles against overspray.
- About the same application as Cabine Protect transparent washable coating with the difference that this product dries completely and does not stay tacky.
- Apply with spraygun (2.5) in one thick coat. Remove with water and sponge.
- Biodegradable.

Code	Description (sales unit)	Box	PAL
CLM 05	Liquid masking - 5l	X	96



DUC Dust Control

- The most original and efficient formula for suppressing dust circulation inside a spraybooth. Dust Control ionises the dust so it is being drawn together in clusters which makes it to heavy to circulate in the air. Mist economically with pressure sprayer.
- Biodegradable.
- One litre treats approximately 200m². Activation time 5 to 10 working days.

Code	Description (sales unit)	Box	PAL
DUC 05	Dust Control - 5l	X	96
DUC 10	Dust Control - 10l	X	60
DUC 25	Dust Control - 25l	X	24
DUC 50	Dust Control pressure sprayer	1	X



Watch movie



CBP Cabine Protectwall protection washable

CBP Basic

- Transparent, tacky and washable coating for the protection of spraybooth walls against overspray. Product stays tacky in order to hold on to swirling dust.
- Apply with spray gun (2.5) in two or three coats. The thicker the total coat the longer it stays active. Applying another coat after some time will re-activate the product.
- Remove afterwards with water and sponge.
- Biodegradable.
- Remove or apply another coat when the product is no longer tacky.
- Only dilute with demineralized water.
- Average consumption per spraybooth: 15l

Code	Description (sales unit)	Box	PAL
CBP 05B	Cabine Protect Basic - 5l	X	96
CBP 10B	Cabine Protect Basic- 10l	X	60
CBP 25B	Cabine Protect Basic- 25l	X	24

CBP Pro

- Transparent, tacky and washable coating for the protection of spraybooth walls against overspray. Product stays tacky in order to hold on to swirling dust.
- Apply one thick layer by means of a pressure tank, airmix or airless pump in 1 thick layer or with spraygun in 2 or 3 layers, in this case you must dilute the 'Pro' 10-20%. Remove afterwards with water and sponge.
- Biodegradable.
- Remove or apply another coat when the product is no longer tacky.
- Only dilute with demineralized water.
- Average consumption per spraybooth: 12l

Code	Description (sales unit)	Box	PAL
CBP 05	Cabine Protect Pro - 5l	X	96
CBP 10	Cabine Protect Pro - 10l	X	60
CBP 25	Cabine Protect Pro - 25l	X	24



COP 05 Cover set

- Clean Set with one seat cover, one footmatt, one steering wheel cover, one gear shift lever cover and one hand break cover.
- Can be booked per job.
- White plastic film. Can be custom printed.

Cover set COP 05 Pack includes:

- 100 Seat covers
- 100 footmatts
- 100 Steering wheel covers
- 100 Handbrake covers
- 100 Gear shift lever covers



PLA 62 Seat covers

- For protection of the seat upholstery.
- White transparent.
- Dimensions: 820mm x 1300mm x 500mm.

PLA 60- PAP Footmatts

For floor protection we offer three types of footmatts:

- Plastic footmatts: are water repellent and stronger - with anti skid coating. (PLA 60)
- Paper footmatts on a plastic film. (PAP 61)
- Paper footmatts: absorb water and dirt - are less resistant. (PAP 60)

COP 00 Nylon seat cover

- For protection of the steering wheel.
- Each roll comes with a handy built in handle to unroll the film.
- Transparent.

Code	Description (sales unit)	Box	PAL
COP 05	Cover set 'Clean Set' - 100p.	4	60
PLA 62	Seat covers - 12µm - 820mm x 1300mm x 500mm - 250p. on a roll	1	88
PLA 67	Steering wheel film - 125mm x 150m - 15µm - 10p.	10	82
PLA 68	Support steering wheel film PLA 67	1	X
PLA 60	Footmatts plastic - 380mm x 490mm - 250p. - perforated on a roll	1	156
PAP 61	Paper footmatts on plastic film backing - 70gr - in a box of 500p.	1	50
PAP 60	Footmatts paper - 375mm x 500mm - 250p. perforated on a roll	1	100
COP 00	Nylon seat cover - black	1	X

PRF 060-120

Self-adhesive protection foil

- Includes an adhesive layer.
- No tape needed.
- Available on a roll.
- Dimensions 60cm x 25m and 120cm x 25m.
- To protect mixing tables, floors etc.

Code	Description (sales unit)	Box	PAL
PRF 060	Self-adhesive protection foil - grey 60cm x 25m	1	72
PRF 120	Self-adhesive protection foil - grey 120cm x 25m	1	36



CPF Cabine light protection film

- Transparent adhesive film to protect the lighting fixtures inside a spraybooth with a minimum loss of lighting intensity.
- Can also be used to cover broken wind shields.

Code	Description (sales unit)	Box	PAL
CPF 10	Cabine protection foil - 400mm x 50m	1	108
CPF 11	Cabine protection foil - 600mm x 100m	1	72



PLA 32 Boothmask wall protection film

- Static and paint absorbent white film cut to size in order to be used to protect spraybooth walls against overspray.
- Very fast to apply and remove - dry application!
- We also advise to purchase 6 to 8 magnet strips to start because these are easier to hold film and have a quick return on investment.

Code	Description (sales unit)	Box	PAL
PLA 32	Boothmask - 15µm - 2.75m x 100m	X	150
PLA 45	Pliable/cutable magnet strip 100cm - 1p.	250	X
PLA 4525	Pliable/cutable magnet strip 100cm - 25p.	10	X





06 EQUIPMENT

- 110** Spraybooth filters
- 112** Panel stands & Trestle
- 114** Gun cleaner
- 116** UV
- 118** IR
- 118** Spotwelders

Spraybooth filters

Excellent, dust free paint jobs will result in better customers satisfaction with less effort for the body shop and therefore better margins.

Keeping the spray booth free of airborne dust/contamination is the first requirement to achieve this result. On top of the existing range of protection of cabin walls and dust encapsulation of cabin floors has invested a lot of time and energy in developing high-performing filters for the spray booth.

Within our in-house production area we can fulfill all customers' demands on sizes and types (matts, pockets, etc.)

Code	Description (sales unit)
FIL 00	Paintstop EU2 /2". 50cm x 20m on a roll
FIL 01	Paintstop EU2 /2". 67cm x 20m on a roll
FIL 02	Paintstop EU2 /2". 75cm x 20m on a roll
FIL 03	Paintstop EU2 /2". 80cm x 20m on a roll
FIL 04	Paintstop EU2 /2" 100cm x 20m on a roll
FIL 05	Paintstop EU2 /2" 150cm x 20m on a roll
FIL 06	Paintstop EU2 /2". 200cm x 20m on a roll
FIL 001W	Paintstop EU2 /2" water and solvent 50cm x 20m on a roll
FIL 011W	Paintstop EU2 /2" water and solvent 67cm x 20m on a roll
FIL 015W	Paintstop EU2 /2" water and solvent 70cm x 20m on a roll
FIL 021W	Paintstop EU2 /2" water and solvent 75cm x 20m on a roll
FIL 031W	Paintstop EU2 /2" water and solvent 85cm x 20m on a roll
FIL 041W	Paintstop EU2 /2" water and solvent 100cm x20m on a roll
FIL 051W	Paintstop EU2 /2" water and solvent 150cm x20m on a roll
FIL 061W	Paintstop EU2 /2" water and solvent 200cm x20m on a roll
FIL 10	Préfilter EU4 - 290gr. 100cm x 20m on a roll
FIL 11	Préfilter EU4 - 290gr. 200cm x 20m on a roll
FIL 20	Fine air filter F5 560gr 200cm x 20m - on a roll or precut per m ²
FIL 21	Fine air filter F5 660gr 200cm x 20m - on a roll or precut per m ²
FIL 25	Fine air filter 560gr 100cm x 1m
FIL 26	Fine air filter 660gr 100cm x 1m

01 Pre-filters

The pre-filter will do the coarse filtering of air coming into the fresh air system of the paint booth, protecting the air ducts from contamination and will prolong lifespan of downstream ceiling filters.

Most commonly used as pre-filters are matts and pocket filters, the preference goes to pocket filters as they have greater filtering area, which generates in higher dust-holding capacity, better air through-put and longer lifespan.

02 Ceiling filters

Ceiling filters in spray booths must perform two tasks in particular: reliably removing dust particles that passed through the prefilter zone (fine filtration) and ensuring even distribution of air and circulation around the object being painted.

Produced in layers of high performance, non-breakable synthetic fibers giving them a high depth loading and dust holding capacity with minimal loss of pressure for optimal performance.


03 Paint stop

Paint mist arrestors filter the exhaust air exiting the paint booth, protecting the exhaust air ducts, fans, and motors from accumulating paint.

For these there are 2 models available:

- Solvent-based filters : Progressively structured fibre glass filter designed for capturing solvent-based paint and lacquer particles.
- Water based filters : Progressively structured fibre glass filter impregnated with a gel desinged for capturing fine and dry water based overspray and solvent based paint particles.





02 Ceiling filters

01 Pre-filters

03 Paint Stop

03 Paint Stop

03 Paint Stop

EQU 80
Spare part cart

Keep your parts organized for each job in the handy chariot

Code	Description (sales unit)	Box	PAL
EQU 80	Spare part cart	1	6



EQU 52
Wheel and panel stand

- Mobile panel stand with two horizontal supports with two wheel supports on each side.
- The wheel supports can be taken off so the stand can be used for larger panels such as hood or bonnet - horizontal supports are foam cushioned for safety.
- Dimensions (lwxh) packed: 91cm x 70cm x 15cm
- Weight: 27kg

Code	Description (sales unit)	Box	PAL
EQU 52	Wheel and panel stand	1	10



EQU 50
Bumper stand

- Mobile stand for storage of bumpers.
- Equipped with 8 adjustable supports all cushioned for safety.
- Dimensions (lwxh) packed: 123cm x 31cm x 20cm
- Weight: 25kg

Code	Description (sales unit)	Box	PAL
EQU 50	Bumper stand	1	12



EQU 40
Thinner siphon

Thinner siphon is the solution for dispensing solvents without having to manipulate heavy cans. Suitable for plastic or metal cans up to 30l content.

Code	Description (sales unit)	Box	PAL
EQU 40	Thinner siphon	1	25
EQU 401	Siphon pipe + tap for EQU 40	1	X





EQU 55 X-trestle

- Adjustable trestle with locking system on the axis for different positions.
- Jumbo X-trestle is galvanized and has a metal axis locking system and two bumper supports.
- Dimensions (lxwxh) packed: 129cm x 63cm x 11cm
- Weight: 10,5kg

Code	Description (sales unit)	Box	PAL
EQU 55	X-trestle	1	25



EQU 56 X-trestle

- Adjustable trestle with locking system on the axis for different positions.
- Standard X-trestle is powder coated grey and has a plastic axis locking system.
- Dimensions (lxwxh) packed: 117cm x 48cm x 8cm
- Weight: 5kg

Code	Description (sales unit)	Box	PAL
EQU 56	X-trestle	1	25



EQU 53 Butterfly trestle premium

- Folding trestle that can be adjusted in height and width by means of two chains.
- Premium quality, feet are attached by means of an extra bar.
- Dimensions (lxwxh) packed: 107cm x 32cm x 9cm.
- Weight: 8,5kg

Code	Description (sales unit)	Box	PAL
EQU 53	Butterfly trestle premium 1p.	1	40



EQU 64 Portal rotating panel stand

- Mobile panel stand with rotating central axis that can be locked under different angles into different positions by means of a foot pedal.
- Supplied with extensions for the axis so that two doors can be fitted one next to the other, 4 vertical supports with hook and 2 supports with holes.
- Dimensions (lxwxh) packed: 149cm x 23cm x 16cm
- Weight: 26kg

Code	Description (sales unit)	Box	PAL
EQU 64	Portal rotating panel stand	1	25



AGC 50 Quick cleaner

- To clean all waterborn paints.
- No need to leave the spray booth.
- Saves time.
- Cleaning in 30 seconds.
- To be combined with BTC 80 (waterbased gun shampoo).
- Low consumption of gun shampoo, 5 litre for 100 guns.
- Compatible with all disposable cup systems.
- Atex approved.



AGC 21-40 Automatic Gun Cleaner

- To be used in combination with cellulose thinner to clean solvent paint guns or BTC 80, to clean water based paint guns.
- Equipped with a brush for pre-cleaning.
- Possible after cleaning with clean matterial / air mixture.
- Stainless steel.
- Easy assembly, easy to maintain and to operate.
- Volumes and pressure can easily be set on the front panel.
- Dimensions outside (max.): 1400mm high x 560mm wide x 410mm deep.
- Automatic venturi for suction during opening is standard.
- Optional available with fully automatic after clean rinsing.



NEW

AGC 70

Automatic gun cleaner with fully automatic rinsing

Combination of AGC 40 gun cleaner with AGC 11 coagulation set.

Code	Description (sales unit)	Box	PAL
AGC 21	AGC 20 with two pieces door	1	8
AGC 25	Air blowing gun kit	X	X
AGC 26	Galvanized bin cover	X	X
AGC 27	Two pieces door in stainless steel	X	X
AGC 35	Complete kit to change the rinsing into fully automatic version	X	X
AGC 40	AGC 31+25+26 Automatic Gun Cleaner complete	2	8
AGC 50	Quick cleaner	X	X
AGC 70	AGC 40 + AGC 11 coagulation set	1	8



NEW
AGC 11

NEW
AGC 11 Coagulation set

AGC 11 is a retro fit coagulation device for AGC gun cleaners used in combination with water based paints.

Code	Description (sales unit)	Box	PAL
AGC 11	Coagulation set for AGC 20/40	X	8
BTC 001	Regenerator for BTC 80 - 1l	24	X
AEC 90	Coagulation powder - 5kg	1	X
AEC 91	Coagulation powder - 500gr	1	X
AEC 20	Filter H2O gun cleaner for AGC 10 + 11	1	X
AGC 45	Rubber cap 50 mm	1	X
BTC 80	H2O gun shampoo - 20 l	X	28
BTC 1000	H2O gun shampoo - 1000l	X	1



BTC 80 H2O Gun shampoo

- Save time and clean your spray guns for water based paint automatically.
- You only need 100ml of cleaning thinner for one spray gun. The cost is € 0,25 per spray gun, waste-disposal included.
- Coagulation is no longer necessary.
- The waste is heavily reduced (up to 10%) and is collected by an officially recognised company.
- Can be used in combination with all automatic spray gun cleaners. Or, if necessary, in combination with a manual spray gun cleaner.



BTC 001 Regenerator

- Adding 1l of regenerator to the coagulated BTC 80, brings back the original cleaning power of the BTC 80.
- 1l of regenerator is sufficient for 25l of coagulated BTC 80.

AEC 90-91 Coagulation powder

- Powerful universal coagulation powder.
- Depending on the intensity of pollution, use about 500 gr of AEC 90 pro 20l of BTC 80.

UV - LED

The use of UV-coatings in the car body repair industry has many advantages. The key benefits are speed, environmental friendliness, improved physical properties, less floor space needed and reduced scrap. These, together with environmental regulations imposed by governments and greater sustainability awareness among customers explains the rapid growth of this segment within the coating industry.

Until now, UV-coatings were cured by the use of medium pressure mercury discharge lamps. These mercury-lamp based curing systems have however a number of serious **drawbacks**:

- Special filter to eliminate UVB & C
- Lamps have a very short lifetime (<500 hours)
- Frequent lamp replacement and high replacement costs
- High energy consumption
- Lamps contain Mercury, a hazardous chemical.
- Lamps require warm-up time
- Degradation of UV over lifetime
- Mercury lamps produce a lot of radiant heat

UV - LED

Chemcar Europe developed a curing system that has none of the drawbacks associated with mercury lamp based curing systems. Working from its state-of-the-art research and testing facilities in Antwerp, a top team of designers, technicians and LED experts created in co-operation with the coating industry the "UV-LED" system - destined to revolutionize UV curing in the car body repair Industry sector.





01 Improved quality

More evenly cured surface and stable hardening out depth up to 180 μm = customer satisfaction

- No degradation of UV over lifetime
- Higher accuracy due to incorporation of reflector system
- Large, uniform curing area
- High intensity curing
- Optimised process control

02 Lower cost

Substantial cost saving over lifetime = better margins

- Up to 70% lower energy use
- Very long lifetime – no replacement cost
- No warm-up time

03 User friendly

Improved working conditions = employee satisfaction

- Compact design, easy to store
- Easy in set-up and use
- Safe in use - Unit does not get hot

04 Environmentally friendly

Responsible production practices = adds to corporate sustainability

- Low energy use – low carbon footprint
- No hazardous chemicals in work environment
- No disposal of used lamps containing Mercury


Spectratek IR

Short wave infrared curing system

Security and efficiency are today important agents for a high quality and economically profitable repair. To satisfy this high demand Spectratek have developed infrared units meeting the modern needs. As a result of innovation, together with many years of experience and a close co-operation with prominent car body shops and paint importers, Spectratek can offer you a quality and highly valued product.



Made in Canada, market leader in the US, European models adapted in R & D in Belgium, Spectratek is the most efficient for energy savings and a higher performance infrared against standard products on the market.

The new electronic control and software of the S-units create not only the most efficient but also the most safest curing solutions: the unique controller system measures 36 spots per minute, evaporating time and speed are controlled and 12 different curing programs can be installed in 20 European languages. Precisely defined production processes and quality gives Spectratek the opportunity to create a product of a high quality level at a very interesting price.



01 Thermal Integrated Sensor (TISS)

a unique temperature controller system that measures 36 spots per minute and that sets every cassette individually to obtain and maintain a constant and steady temperature.



02 Special shaped asymmetric mirror

A special shaped asymmetric mirror, which not only focuses all the energy to the car, but also perfectly spreads it.

03 Compact, modular design

- Aluminium housing makes the device light and easy to handle.
- Double gas strut prevents backlash and early signs of wear due to extra fastening / fixing.
- A stable and short steel base which allows the device to take up only a small amount of space and furthermore enables it to dry every type of panel on every type of car.
- Swivel wheels with breaks.

04 Electronic control and software

- Display commands programmed in 20 possible languages.
- New electronics and software makes it possible to choose 12 programs. Also curing time, evaporation time and temperature can be installed. 36 Controlled and measured spots per minute will create the desired temperature on the total surface, no matter what color or base.
- Simple to command and program. The display offers a long life.
- Acoustic sensor that indicates the distance and the end of drying.



SPEC 8000S: Quality of the highest level!

1. Curing height up to 2,90m
2. 2 m² curing area
3. Cassettes can be horizontally pivoted up to 45°C which make it also possible to dry curved and squared surfaces
4. Computer guided
5. OEM-conformity



SPEC 3400SH Spectratek high-drying stand


Dry until 4m height. Suitable for trucks and trailers!
Exclusive in whole Europe!



RAIL SPEC Spectratek rail-system Maximum flexibility & innovation

Maximal flexibility and innovation.

- Individual solutions can easily be offered with this concept.
- The electronic command system is located in a separate switch box that can be positioned.
- Possibility to have a rail system that can span several workplaces.
- Available in wall and ceiling model.



Digital control box
Is independent, and can be
positioned on a nearby wall,
column, or be free standing.





Watch SPT

spectratek
Another Chemical Europe product

FINIXA[®]
paint processing products





SPEC 1000
0,105m ²
1,40m vertical
230 V
1,0 KW
1
Timer



SPEC 2400
0,75m ²
1,55m vertical
230 V
2,4 KW
2
Timer



SPEC 2400S
0,75m ²
1,55m vertical
230 V
2,4 KW
2
Computer



SPEC 3400S	SPEC 4000S
1,00m ²	1.0m ²
2,20m vertical 1,90m horizontal	2,20m vertical 1,90m horizontal
230 V	380 V
3,4 KW	4,0 KW
4	4
Computer	Computer



SPEC 8000 S
2,90m²
1,55m vertical
380-400 V
8000 W
8
Computer



SPECUV LED
0.72m²
1.60 m horizontal
2.35 m vertical
230 V
500 W (4 x 125 W)
4
Computer



SPEPUV 17.200.00.60
Lamp UV 400W
SPECUV equipment
11.80cm



SPEP 17.200.00.19	SPEP 17.200.00.22	SPEP 17.200.00.30	SPEP 17.200.00.50
Lamp IR 220V 850W	Lamp IR 380V 1000W	Lamp IR 220V 1000W	Lamp IR 220V 1200W
SPEC 3400S	SPEC 8000S	SPEC 1000	SPEC 2400 and 2400S
35.50cm	35.50cm	35.50cm	50cm



ETP 144B	ETP 150	ETP 148A	ETP 149
Lamp 240V 850W	Lamp 240V 1100W	Lamp 240V 1100W	Lamp 240V 1500W
ETS HH/HS/HT	ETS1/11/4/CM ALT/HB	ETS2/ETS5/ETS CM03/ETS TM	CM 04/ETS03
20cm	35.5cm	53cm	78.50cm



TP 145B	ETP 146B
Lamp 240V 1000W	Lamp 240V 2000W
IRT 1000W	IRT 2000W
35 cm	35 cm

Standard SWD kit



Optional



Code	Description (sales unit)	Box	PAL
SWD 00	spot welder 160	1	24
SWD 10	Spot welder cart	1	X
SWD 20	Washer tip	1	X
SWD 21	Shrinking tip	1	X
SWD 22	Half moon tip	1	X
SWD 23	Single spot tip	1	X
SWD 24	Moulding clip tip	1	X
SWD 25	Long stud tip (nails)	1	X
SWD 26	Electrod for wiggle wire	1	X
SWD 30	Carbon electrode	1	X
SWD 31	Carbon rod adaptor	1	X
SWD 32	Hand lifter	1	X
SWD 40	Energic slide hammer with adaptor	1	X
SWD 41	Stud mandrel for nails pulling	1	X
SWD 42	Hook mandrel for washer pulling	1	X
SWD 43	Ground plate tightener	1	X
SWD 44	5 Finger bear claw for hammer	1	X
SWD 45	Hand puller for molding rivet	1	X
SWD 46	8 Finger bear claw for jack	1	X
SWD 47	Handle for bear claw	1	X
SWD 50	Star washer set of 10	1	X
SWD 52	Welding studs 100pcs	1	X
SWD 53	Molding rivets 100pcs	1	X
SWD 54	Welding washers 100pcs	1	X
SWD 55	Wiggle wire 1.6mm 500gr	1	X

SWD 00 professional dent puller

- Digital display with key pad control of time and power, plus mode and language selection.
- Compact 280 x 280x 229mm.
- Light weight (only 22kg).
- Quick change electrodes.
- Quick star washer dent pulling: fast and easy to use slide hammer included.
- Weld studs (nails), washers, rivets for interior panel and window mouldings (all tips included).
- Shrinking with copper tip for high spot.
- Comes together with chariot and accessories
- Easy access around vehicles.



Standard SWD AL kit



Optional



SWD 00AL Aluminium dent pulling system

- Utilizes capacitive discharge with extra features.
- Operates on 230 volt power.
- Includes welding gun, 2 ground clamps, 3 welding tips, plus supply of threaded 4, 5 and 6mm pulling studs.
- Complete with hand lifter, hook and 3 puller mandrels.
- Slide hammer and larger pulling studs optional.
- May also be used for dent pulling steel and stainless steel.
- Digital Touch Pad Control.
- Ready and discharge (trigger) lights in the gun base let the operator focus on the application rather than the control panel.



Code	Description (sales unit)	Box	PAL
SWD 00AL	Aluminium dent pulling system	1	24
SWD 10	Trolley for SWD 00AL & accessories	1	X
SWP 01	Welding gun	1	X
SWP 02	Ground clamps	1	X
SWD 65	Stud holder 4mm	1	X
SWD 66	Stud holder 5mm	1	X
SWD 67	Stud holder 6mm	1	X
SWD 68	Puller mandrel 4mm	1	X
SWD 69	Puller mandrel 5mm	1	X
SWD 70	Puller mandrel 6mm	1	X
SWD 71	Aluminium studs 4mm - 15p. (pkt 200)	1	X
SWD 72	Aluminium studs 5mm - 15p. (pkt 200)	1	X
SWD 73	Aluminium studs 6mm - 15p. (pkt 200)	1	X
SWD 74	Hand lifter standard	1	X
SWD 75	Safety google	1	X
SWD 76	Stainless steel brush	1	X
SWD 77	Pulling bar	1	X
SWD 78	Straightening bar	1	X
SWD 79	Hand lifter deluxe	1	X
SWD 80	Angle support	1	X
SWD 81	5 finger bear claw	1	X
SWD 82	8 finger bear claw	1	X
SWD 83	2 finger bear claw	1	X
SWD 84	Aluminium hammer & dolly kit	1	X
SWD 85	Heat gun	1	X
SWD 86	Infrared laser thermometer sensor	1	X

FINIXA



07 PROMOTIONAL ITEMS

130 Micro-Fibre cloth, stickers, cap, rugbyball, RC car, beer, shirt, t-shirt, umbrella, sticky screen cleaner, ...



Code	Description (sales unit)
PRO 06	Finixa sticky screen cleaner - 200p.
PRO 07	Finixa double sided microfibre cloth - 25p.
PRO 09	Finixa packing tape 48mm x 100m - 6pcs
PRO 19	Finixa pen - 25p.
PRO 20	Finixa bag
PRO 22	Finixa cap - blue
PRO 23	Finixa umbrella XL - black
PRO 24	Finixa 4-panel rugbybal - size 5
PRO 25	Finixa Glasses York - 6p.
PRO 26	Finixa sticky notes set in hardcover
PRO 27	Finixa coffee cups porcelain Neo- 6p.
PRO 034	Finixa Race car 1/10
PRO 34	Finixa cardboard cup - 180cc - 100p.
PRO 35	Finixa plastic cup - 220cc - 50p.
PRO 37	Finixa sticker - 6p.
PRO 38	Finixa Blocnote A5
PRO 39	Finixa Blocnote A4
PRO 41	Finixa Beer - 75cl.
PRO 100-106	Finixa T-shirt navy - Sizes S/M/L/XL/XXL
PRO 420-424	Finixa shirt white - Sizes S/M/L/XL/XXL
CRT 35	Finixa Packaging Boxes white 540 x 390 x 450
CRT 38	Finixa Packaging Boxes white 300 x 300 x 300
CRT 39	Finixa Packaging Boxes white 450 x 450 x 450
CRT 40	Finixa Packaging Boxes white 600 x 400 x 600





PRO 24



PRO 034



PRO 23



PRO 100-104



PRO 420-424



PRO 35

PRO 34



PRO 41



PRO 27



PRO 25

- A** **54** abrasive disc
56 abrasive on a roll
56 abrasive on a sponge
54 abrasives
28 absorbing masking film
10 adapter FPS
40 adhesion promotor
77 adhesive eraser
69 adhesive gel
45 adjustable aerosol nozzle
42 aerosol holder magnetic
40 aerosols
18 air guns
67 Alsi 12
44 anti gravel
38 auto clean gum
- B** **12** black cups
65 black filler
65 black putty
85 black tire gel
32 blending foam
107 bootmask
14 brushes for guns
80 bucket and spout
112 bumper stand
- C** **107** cabine light protection film
104 cabine protection
81 car shampoo
101 carbon mask
14 cleaning set for guns
43 clearcoat
43 2k clearcoat
- D** **34** cloth tape
25 cloths
115 coagulation set
96 coated gloves
24 coding caps
106 cover set
92 coveralls
30 cutter
- E** **67** DEB12
67 debrasel
22 degreaser
22 degreasing box
25 degresing cloths
124 dent puller
126 dent puller ALU
76 door foam film
37 double sided tape
19 drying oven
34 duct tape
104 dust control
101 dust mask
38 dust removal file
- F** **82** electric polisher
41 etch primer
- G** **96** gloves
54 green disc
80 grid for bucket
114 gun cleaner
115 gun cleaning shampooi
- H** **85** hand foam pad
100 hand soap
100 handcleanr
66 hardener for putty
28 HDPE film
- I** **100** impregnated cleaning cloths
118 infrared dryer
120 infrared rail system
106 interior protection
118 IR
- L** **84** lambswool pad
86 leather repair set
12 lids for mixing cups
36 lifting tape
39 lifting wire
65 light filler
65 light putty
77 logo tape
- M** **85** machine and handwax
42 magnetic aerosol holder
18 magnetic support for guns
28 masking film
30 masking film and tape
30 masking film cutter
32 masking foam
30 masking paper
34 masking tape
42 matt black
62 matting compound
69 metal bonding
77 metal brush
63 metal spreaders
80 micor fiber
96 microfoam gloves
51 mini polisher
51 mini sander
67 mixing board
13 mixing cups
13 mixing paddles
64 multi filler
- N** **96** nitrile gloves
32 no edge blending tape
25 non-woven
45 nozzle sets
- O** **82** one step polisher
92 overalls
- P** **15** paint strainer
8 paint system
76 panel fixation set
112 panel stands
25 paper roll dispenser

- P**
- 67** PBSN replacer
 - 102** peelable coating
 - 12** pipette
 - 106** plastic interior protection
 - 28** plastic masking
 - 30** plastic masking on roll
 - 70** plastic repair
 - 63** plastic spreaders
 - 77** pneumattic brush tool
 - 82** pneumattic polisher
 - 51** pneumattic sander
 - 82** polishing case
 - 25** polishing cloths
 - 82** polishing compound
 - 84** polishing foam pad
 - 82** polishing machine
 - 64** polyester filler
 - 66** polyester hardener
 - 67** polyester mixing board
 - 64** polyester putty
 - 45** prefill aerosol
 - 24** pressure sprayer
 - 16** pressure tank
 - 30** pretreated film on roll
 - 40** primer
 - 40** primer filler
 - 13** printed cups
 - 43** 2k spray putty
 - 63** putty knives
 - 63** putty spreaders
- Q**
- 62** quick change disc
 - 62** quick change sanding
- R**
- 120** rail systems
 - 54** red disc
 - 85** renuwal gel
 - 45** replacement aerosol nozzle
 - 31** rim masking film
 - 63** rubber spreaders
- S**
- 99** safety boots
 - 19** sample plates
 - 51** sander
 - 52** sanding block board
 - 52** sanding block display
 - 58** sanding block for disc
 - 58** sanding block for SCA
 - 52** sanding blocks
 - 58** sanding cloth
 - 54** sanding discs
 - 54** sanding film disc
 - 57** sanding foam disc
 - 60** sanding foam pads
 - 44** sanding guide aerosol
 - 101** sanding mask
 - 50** sanding pad velcro
 - 54** sanding paper
 - 58** sanding paper A4
 - 58** sanding sheet
 - 59** sanding strip
 - 62** scuff rolls
 - 68** seam sealer
 - 68** seam sealer on a roll
 - 106** seat covers
 - 69** seconds glue
 - 107** self adhesive protection foil
 - 81** shampoo for cars
 - 12** siphon
 - 50** soft interface pad
 - 50** soft pad sanding
- T**
- 26** tack rags
 - 34** tape
 - 98** thinner protector gloves
 - 85** tire gel
 - 14** touch up bottles
 - 39** touch up tips
 - 77** trim removal tool set
 - 76** trunk isolation pads
- U**
- 116** UV dryer
 - 116** UV LED
- V**
- 52** velcro board
 - 50** velcro sanding pad
- 98** solvex gloves
- 76** sound deadening pads
- 110** sparybooth filters
- 32** spon tape
- 56** sponge roll abrasive
- 80** sponges
- 30** spot repair film
- 124** spot welder



Chemicar Europe nv
 Baarbeek 2
 B-2070Zwijndrecht
 Belgium

T.: +32 3 234 87 80
 F.: +32 3 234 87 89

info@finixa.com
 www.finixa.com

This catalogue replaces all previous editions. Copying or reprinting even partially is illegal and punishable. We can not be held liable for possible printing faults; the images and text do not have a binding character.



Opening hours

Monday - Thursday: 08.30h - 12.00h and 13.00h - 17.00h
 Friday: 08.30h - 12.00h and 13.00h - 16.00h

Finixa products can be used in all kind of fields

All updated information, TDS (technical data sheet) & SDS (safety data sheet) can be found on our new website.
www.finixa.com

Sales units and packaging information

Our product reference specifies a sales unit and is the minimum ordering unit for each product.

Box

indicates how many sales units are in a box which is handy in case a number of sales units are being ordered. Logistically it is always more convenient to order per box, but this is not mandatory.

PAL

indicates how many sales units are on a pallet which is handy in case a large number of sales units are being ordered. Logistically it is always more convenient to order per pallet, but this is not mandatory.

Example Situation

MCP 0650 is our example product which is always packed and delivered by 200 pieces. There are 200 sales units in a box and 8000 sales units (200 x 40) on a pallet.

Code	Description (sales unit)	Box	PAL
MCP 0650	Printed mixing cups - 650ml - 200p.	1	40



www.finixa.com




Available in 23 languages!
Mobile and desktop version.





5 491196 784792



RECYCLED
Paper made from
recycled material
FSC® C019576